

Bibliography

- [1] National Research Council, *Condensed-matter and materials physics: Basic research for tomorrow's technology*, National Academy Press, Washington, DC, USA, 1999.
- [2] A. Lakhtakia and R. Messier, The key to a thin film HBM: the Motohiro-Taga interface, *Proceedings of Chiral '94: 3rd International workshop on chiral, bi-isotropic and bi-anisotropic media* (F. Mariotte and J.-P. Parneix, eds), Périgueux, France, 1994, 125–130.
- [3] A. Lakhtakia, R. Messier, M.J. Brett, and K. Robbie, Sculptured thin films (STFs) for optical, chemical and biological applications, *Innovat Mater Res* **1** (1996), 165–176.
- [4] A. Lakhtakia and R. Messier, Sculptured thin films—I. Concepts, *Mater Res Innovat* **1** (1997), 145–148.
- [5] R. Messier and A. Lakhtakia, Sculptured thin films—II. Experiments and applications, *Mater Res Innovat* **2** (1999), 217–222.
- [6] R. Messier, T. Gehrke, C. Frankel, V.C. Venugopal, W. Otaño, and A. Lakhtakia, Engineered sculptured nematic thin films, *J Vac Sci Technol A* **15** (1997), 2148–2152.
- [7] R. Messier, P. Sunal, and V.C. Venugopal, Evolution of sculptured thin films, *Engineered nanostructural films and materials* (A. Lakhtakia and R.F. Messier, eds), Proc SPIE **3790**, SPIE, Bellingham, WA, USA, 1999, 133–141.
- [8] D.M. Mattox, *The foundations of vacuum coating technology*, Noyes Publications, Norwich, NY, USA, 2003.
- [9] A. Kundt, Ueber Doppelbrechung des Lichtes in Metallschichten, welche durch Zerstäuben einer Kathode hergestellt sind, *Ann Phys Chem Lpz* **27** (1886), 59–71.
- [10] H. König and G. Helwig, Über die Struktur schräg aufgedampfter Schichten und ihr Einfluß auf die Entwicklung submikroskopischer Oberflächenrauigkeiten, *Optik* **6** (1950), 111–124.
- [11] L. Holland, The effect of vapor incidence on the structure of evaporated aluminum films, *J Opt Soc Am* **43** (1953), 376–380.
- [12] N.O. Young and J. Kowal, Optically active fluorite films, *Nature* **183** (1959), 104–105.

- [13] D.O. Smith, M.S. Cohen, and G.P. Weiss, Oblique-incidence anisotropy in evaporated permalloy films, *J Appl Phys* **31** (1960), 1755–1762.
- [14] W. Metzdorf and H.E. Wiehl, Negative oblique-incidence anisotropy in magnetostriction-free permalloy films, *Phys Stat Sol* **17** (1966), 285–294.
- [15] J.M. Nieuwenhuizen and H.B. Haanstra, Microfractography of thin films, *Philips Tech Rev* **27** (1966), 87–91.
- [16] T. Motohiro and Y. Taga, Thin film retardation plate by oblique deposition, *Appl Opt* **28** (1989), 2466–2482.
- [17] V.C. Venugopal and A. Lakhtakia, Sculptured thin films: conception, optical properties and applications, *Electromagnetic fields in unconventional materials and structures* (O.N. Singh and A. Lakhtakia, eds), Wiley, New York, NY, USA, 2000.
- [18] I.J. Hodgkinson and Q.h. Wu, Inorganic chiral optical materials, *Adv Mater* **13** (2001), 889–897.
- [19] A. Lakhtakia and R.F. Messier (eds), *Proceedings of SPIE 3790: Engineered nanostructural films and materials*, SPIE, Bellingham, WA, USA, 1999.
- [20] A. Lakhtakia, W.S. Weiglhofer, and R.F. Messier (eds), *Proceedings of SPIE 4097: Complex mediums*, SPIE, Bellingham, WA, USA, 2000.
- [21] A. Lakhtakia, W.S. Weiglhofer, and I.J. Hodgkinson (eds), *Proceedings of SPIE 4467: Complex mediums II: Beyond linear isotropic dielectrics*, SPIE, Bellingham, WA, USA, 2001.
- [22] A. Lakhtakia, G. Dewar, and M.W. McCall (eds), *Proceedings of SPIE 4806: Complex mediums III: Beyond linear isotropic dielectrics*, SPIE, Bellingham, WA, USA, 2002.
- [23] M.W. McCall and G. Dewar (eds), *Proceedings of SPIE 5218: Complex mediums IV: Beyond linear isotropic dielectrics*, SPIE, Bellingham, WA, USA, 2003.
- [24] K. Robbie, A.J.P. Hnatiw, M.J. Brett, R.I. MacDonald, and J.N. McMullin, Inhomogeneous thin film optical filter fabricated using glancing angle deposition, *Electron Lett* **33** (1997), 1213–1214.
- [25] A. Lakhtakia and W.S. Weiglhofer, On light propagation in helicoidal bianisotropic mediums, *Proc Roy Soc Lond A* **448** (1995), 419–437; correction: **454** (1998), 3275.
- [26] R. Messier, A.P. Giri, and R.A. Roy, Revised structure zone model for thin film physical structure, *J Vac Sci Technol A* **2** (1984), 500–503.
- [27] R.C. Ross, A.G. Johncock, and A.R. Chan, Physical microstructure in device-quality hydrogenated amorphous silicon, *J Non-Cryst Solids* **66** (1984), 81–86.
- [28] J.M. García-Ruiz, A. Lakhtakia, and R. Messier, Does competition between growth elements eventually eliminate self-affinity? *Speculat Sci Technol* **15** (1992), 60–71.
- [29] R.A. Roy and R. Messier, Evolutionary growth development in SiC sputtered films, *Mater Res Soc Symp Proc* **38** (1985), 363–370.

- [30] R.A. Roy and R. Messier, Quantitative analysis of thin film morphology evolution, *High performance ceramic films and coatings* (P. Vincenzini, ed), Elsevier, Amsterdam, The Netherlands, 1991.
- [31] R. Messier, Toward quantification of thin film morphology, *J Vac Sci Technol A* **4** (1986), 490–495.
- [32] P. Meakin, Fractal scaling in thin film condensation and material surfaces, *CRC Crit Rev Solid State Mater Sci* **13** (2) (1987), 143–189.
- [33] K.-H. Muller, Stress and microstructure of sputter-deposited thin films—Molecular dynamics investigation, *J Appl Phys* **62** (1987), 1796–1799.
- [34] B.A. Movchan and A.V. Demchishin, Study of the structure and properties of thick vacuum condensates of nickel, titanium, tungsten, aluminum oxide and zirconium dioxide, *Phys Metal Metallogr* **28** (1969), 83–90; translated from: *Fiz Metal Metalloved* **28** (1969), 653–660.
- [35] J.A. Thornton, High rate thick film growth, *Annu Rev Mater Sci* **7** (1977), 239–260.
- [36] B. Yang, B.L. Walden, R. Messier, and W.B. White, Computer simulation of the cross-sectional morphology of thin films, *Modeling of optical thin films* (M.R. Jacobson, ed), Proc SPIE **821**, SPIE, Bellingham, WA, USA, 1987, 68–76.
- [37] R. Messier, V.C. Venugopal, and P.D. Sunal, Origin and evolution of sculptured thin films, *J Vac Sci Technol A* **18** (2000), 1538–1545.
- [38] R. Messier and S. Trolier-McKinstry, Processing of ceramic thin films, *Encyclopedia of materials: Science and technology* (K.H.I. Buschow, R.W. Cahn, M.C. Flemings, B. Ilschner, E.J. Kramer, and S. Mahajan, eds), Elsevier, Amsterdam, The Netherlands, 2001.
- [39] S. Hamaguchi and S.M. Rosznagel, Surface-topography simulations of ionized sputter metal deposition, *Mater Res Soc Symp Proc* **389** (1995), 113–117.
- [40] H. van Kranenburg and C. Lodder, Tailoring growth and local composition by oblique-incidence deposition: a review and new experimental data, *Mater Sci Engg R* **11** (1994), 295–354.
- [41] A. Lakhtakia (ed), *Selected papers on linear optical composite materials*, SPIE, Bellingham, WA, USA, 1996.
- [42] O.S. Heavens, *Optical properties of thin solid films*, Butterworths, London, United Kingdom, 1955.
- [43] I.J. Hodgkinson and Q.-h. Wu, *Birefringent thin films and polarizing elements*, World Scientific, Singapore, 1997.
- [44] G.B. Smith, Effective medium theory and angular dispersion of optical constants in films with oblique columnar structure, *Opt Commun* **71** (1989), 279–284.
- [45] H. Wang, Assessment of optical constants of multilayer thin films with columnar-structure-induced anisotropy, *J Phys D: Appl Phys* **28** (1995), 571–575.

- [46] H. Wang, Spectrophotometric measurements on a titanium dioxide film with columnar-structure-induced anisotropy, *Fiber Integrat Opt* **15** (1996), 37–44.
- [47] H. Wang, Reflection/transmission measurements of anisotropic films with one of the principal axes in the direction of columnar growth, *J Modern Opt* **42** (1995), 497–505.
- [48] I.J. Hodgkinson, F. Horowitz, H.A. Macleod, M. Sikkens, and J.J. Wharton, Measurement of the principal refractive indices of thin films deposited at oblique incidence, *J Opt Soc Am A* **2** (1985), 1693–1697.
- [49] I.J. Hodgkinson, Q.h. Wu, and J. Hazel, Empirical equations for the principal refractive indices and column angle of obliquely deposited films of tantalum oxide, titanium oxide, and zirconium oxide, *Appl Opt* **37** (1998), 2653–2659.
- [50] H.C. Chen, *Theory of electromagnetic waves*, TechBooks, Fairfax, VA, USA, 1992.
- [51] A. Lakhtakia and W.S. Weiglhofer, Significance of cross-sectional morphology for Motohiro-Taga interfaces, *Optik* **110** (1999), 33–36.
- [52] I. Abdulhalim, Point of ultra-sensitivity to perturbations for axial propagation in helicoidal bianisotropic structures, *Europhys Lett* **48** (1999), 177–181.
- [53] A. Lakhtakia and W.S. Weiglhofer, A comparative study of planewave propagation in helicoidal bianisotropic mediums and isotropic chiral mediums, *J Opt A: Pure Appl Opt* **2** (2000), 107–111.
- [54] C. Kittel, *Introduction to solid state physics, 4th ed*, Wiley Eastern, New Delhi, India, 1971.
- [55] F. Chiadini and A. Lakhtakia, Gaussian model for refractive indexes of columnar thin films and Bragg multilayers, *Opt Commun* **231** (2004), 257–261.
- [56] F. Chiadini and A. Lakhtakia, Extension of Hodgkinson’s model for optical characterization of columnar thin films, *Microw Opt Technol Lett* **42** (2004), 72–73.
- [57] I.J. Hodgkinson and Q.h. Wu, Serial bideposition of anisotropic thin films with enhanced linear birefringence, *Appl Opt* **38** (1999), 3621–3625.
- [58] A. Lakhtakia, Spectral signatures of axially excited slabs of dielectric thin-film helicoidal bianisotropic mediums, *Eur Phys J Appl Phys* **8** (1999), 129–137.
- [59] K. Robbie, L.J. Friedrich, S.K. Dew, T. Smy, and M.J. Brett, Fabrication of thin films with highly porous microstructures, *J Vac Sci Technol A* **13** (1995), 1032–1035.
- [60] H.A. Macleod, *Thin-film optical filters, 3rd ed*, Institute of Physics, Bristol, United Kingdom, 2001.
- [61] M. Suzuki, S. Tokito, and Y. Taga, Review of thin film technology in automobile industry, *Mater Sci Engg B* **51** (1998), 66–71.
- [62] Y. Taga, Review of plasma thin-film technology in automobile industry, *Surf Coat Technol* **112** (1999), 339–346.

- [63] M. Suzuki, T. Ito, and Y. Taga, Recent progress of obliquely deposited thin films for industrial applications, *Engineered nanostructural films and materials* (A. Lakhtakia and R.F. Messier, eds), Proc SPIE **3790**, SPIE, Bellingham, WA, USA, 1999, 94–105.
- [64] E.F. Dawson and N.O. Young, Helical Kerr cell, *J Opt Soc Am* **50** (1960), 170–171.
- [65] K. Robbie, M.J. Brett, and A. Lakhtakia, First thin film realization of a helicoidal bianisotropic medium, *J Vac Sci Technol A* **13** (1995), 2991–2993.
- [66] K. Robbie, M.J. Brett, and A. Lakhtakia, Chiral sculptured thin films, *Nature* **384** (1996), 616.
- [67] P.I. Rovira, R.A. Yarussi, R.W. Collins, R. Messier, V.C. Venugopal, A. Lakhtakia, K. Robbie, and M.J. Brett, Transmission ellipsometry of a thin-film helicoidal bianisotropic medium, *Appl Phys Lett* **71** (1997), 1180–1182.
- [68] K. Robbie and M.J. Brett, Sculptured thin films and glancing angle deposition: Growth mechanics and applications, *J Vac Sci Technol A* **15** (1997), 1460–1465.
- [69] J.C. Sit, D. Vick, K. Robbie, and M.J. Brett, Thin film microstructure control using glancing angle deposition by sputtering, *J Mater Res* **14** (1999), 1197–1199.
- [70] K. Robbie, J.C. Sit, and M.J. Brett, Advanced techniques for glancing angle deposition, *J Vac Sci Technol B* **16** (1998), 1115–1122.
- [71] O.R. Monteiro, A. Vizir, and I.G. Brown, Multilayer thin-films with chevron-like microstructure, *J Phys D: Appl Phys* **31** (1998), 3188–3196.
- [72] F. Liu, M.T. Umlor, L. Shen, W. Eads, J.A. Barnard, and G.J. Mankey, The growth of nanoscale structured iron films by glancing angle deposition, *J Appl Phys* **85** (1999), 5486–5488.
- [73] I. Hodgkinson, Q.h. Wu, B. Knight, A. Lakhtakia, and K. Robbie, Vacuum deposition of chiral sculptured thin films with high optical activity, *Appl Opt* **39** (2000), 642–649.
- [74] M. Malac and R.F. Egerton, Observations of the microscopic growth mechanism of pillars and helices formed by glancing-angle thin-film deposition, *J Vac Sci Technol A* **19** (2001), 158–166.
- [75] Y.-P. Zhao, D.-X. Ye, G.-C. Wang, and T.-M. Lu, Novel nano-column and nano-flower arrays by glancing angle deposition, *Nano Lett* **2** (2002), 351–354.
- [76] I.J. Hodgkinson, Q.H. Wu, K.E. Thorn, A. Lakhtakia, and M.W. McCall, Spacerless circular-polarization spectral-hole filters using chiral sculptured thin films: theory and experiment, *Opt Commun* **184** (2000), 57–66.
- [77] M. Suzuki and Y. Taga, Integrated sculptured thin films, *Jap J Appl Phys Part 2* **40** (2001), L358–L359.
- [78] K.D. Harris, M.J. Brett, T.J. Smy, and C. Backhouse, Microchannel surface area enhancement using porous thin films, *J Electrochem Soc* **147** (2000), 2002–2006.

- [79] K.D. Harris, D. Vick, E.J. Gonzalez, T. Smy, K. Robbie, and M.J. Brett, Porous thin films for thermal barrier coatings, *Surf Coat Technol* **138** (2001), 185–191.
- [80] Y. Taga and M. Suzuki, Automobile applications of optical thin films modified by nanotechnology, *Complex mediums II: Beyond linear isotropic dielectrics* (A. Lakhtakia, W.S. Weiglhofer, and I.J. Hodgkinson, eds), Proc SPIE **4467**, SPIE, Bellingham, WA, USA, 2001, 102–108.
- [81] M.W. McCall, Towards optoelectronic applications of chiral sculptured thin films, *Introduction to complex mediums for optics and electromagnetics* (W.S. Weiglhofer and A. Lakhtakia, eds), SPIE, Bellingham, WA, USA, 2003.
- [82] W.S. Weiglhofer, Constitutive characterization of simple and complex mediums, *Introduction to complex mediums for optics and electromagnetics* (W.S. Weiglhofer and A. Lakhtakia, eds), SPIE, Bellingham, WA, USA, 2003.
- [83] A. Lakhtakia, Director-based theory for the optics of sculptured thin films, *Optik* **107** (1997), 57–61.
- [84] A. Lakhtakia and W.S. Weiglhofer, Axial propagation in general helicoidal bianisotropic media, *Microw Opt Technol Lett* **6** (1993), 804–806.
- [85] A. Lakhtakia, Linear optical responses of sculptured thin films (SNTFs), *Optik* **106** (1997), 45–52.
- [86] H. Hochstadt, *Differential equations: A modern approach*, Dover Press, New York, NY, USA, 1975.
- [87] A. Lakhtakia, Anomalous axial propagation in helicoidal bianisotropic media, *Opt Commun* **157** (1998), 193–201.
- [88] A. Lakhtakia and W.S. Weiglhofer, Further results on light propagation in helicoidal bianisotropic mediums: oblique propagation, *Proc Roy Soc Lond A* **453** (1997), 93–105; correction: **454** (1998), 3275.
- [89] V.C. Venugopal and A. Lakhtakia, Electromagnetic plane-wave response characteristics of non-axially excited slabs of dielectric thin-film helicoidal bianisotropic mediums, *Proc Roy Soc Lond A* **456** (2000), 125–161.
- [90] M. Schubert and C.M. Herzinger, Ellipsometry on anisotropic materials: Bragg conditions and phonons in dielectric helical thin films, *Phys Stat Sol (a)* **188** (2001), 1563–1575.
- [91] J.A. Polo, Jr., and A. Lakhtakia, Numerical implementation of exact analytical solution for oblique propagation in a cholesteric liquid crystal, *Microw Opt Technol Lett* **35** (2002), 397–400. [Equation (16) of this paper should read as follows: $[\underline{\tilde{M}}'(\zeta)] = [\underline{\tilde{M}}'(\xi)][\underline{\tilde{M}}'(1)]^{\ell}$.]
- [92] J.A. Polo, Jr., and A. Lakhtakia, Comparison of two methods for oblique propagation in helicoidal bianisotropic mediums, *Opt Commun* **230** (2004), 369–386.
- [93] V.A. Yakubovich and V.M. Starzhinskii, *Linear differential equations with periodic coefficients*, Wiley, New York, NY, USA, 1975.

- [94] W.S. Weiglhofer and A. Lakhtakia, Oblique propagation in a cholesteric liquid crystal: 4×4 matrix perturbational solution *Optik* **102** (1996), 111–114.
- [95] K. Rokushima and J. Yamakita, Analysis of diffraction in periodic liquid crystals: the optics of the chiral smectic C phase, *J Opt Soc Am A* **4** (1987), 27–33.
- [96] M.W. McCall and A. Lakhtakia, Development and assessment of coupled wave theory of axial propagation in thin-film helicoidal bianisotropic media. Part 1: reflectances and transmittances, *J Modern Opt* **47** (2000), 973–991; corrections: **50** (2003), 2807.
- [97] M.W. McCall and A. Lakhtakia, Development and assessment of coupled wave theory of axial propagation in thin-film helicoidal bi-anisotropic media. Part 2: dichroisms, ellipticity transformation and optical rotation, *J Modern Opt* **48** (2001), 143–158.
- [98] F. Wang, A. Lakhtakia, and R. Messier, Coupling of Rayleigh-Wood anomalies and the circular Bragg phenomenon in slanted chiral sculptured thin films, *Eur Phys J Appl Phys* **20** (2002), 91–104; corrections: **24** (2003), 91.
- [99] A. Lakhtakia, On the quasistatic approximation for helicoidal bianisotropic mediums, *Electromagnetics* **19** (1999), 513–525.
- [100] A. Lakhtakia, Capacitance of a slab of a dielectric thin-film helicoidal bianisotropic medium, *Microw Opt Technol Lett* **21** (1999), 286–288.
- [101] V.C. Venugopal, A. Lakhtakia, R. Messier, and J.-P. Kucera, Low-permittivity materials using sculptured thin film technology, *J Vac Sci Technol B* **18** (2000), 32–36.
- [102] A.T. Wu and M.J. Brett, Sensing humidity using nanostructured SiO posts: mechanism and optimization, *Sens Mater* **13** (2001), 399–431.
- [103] A. Lakhtakia, P.D. Sunal, V.C. Venugopal, and E. Ertekin, Homogenization and optical response properties of sculptured thin films, *Engineered nanostructural films and materials* (A. Lakhtakia and R.F. Messier, eds), Proc SPIE **3790**, SPIE, Bellingham, WA, USA, 1999, 77–83.
- [104] A. Lakhtakia, Enhancement of optical activity of chiral sculptured thin films by suitable infiltration of void regions, *Optik* **112** (2001), 145–148; correction: **112** (2001), 544.
- [105] A. Lakhtakia, M.W. McCall, J.A. Sherwin, Q.H. Wu, and I.J. Hodgkinson, Sculptured-thin-film spectral holes for optical sensing of fluids, *Opt Commun* **194** (2001), 33–46.
- [106] J.A. Sherwin and A. Lakhtakia, Nominal model for structure-property relations of chiral dielectric sculptured thin films, *Math Comput Modelling* **34** (2001), 1499–1514; corrections: **35** (2002), 1355–1363.
- [107] J.A. Sherwin and A. Lakhtakia, Nominal model for the optical response of a chiral sculptured thin film infiltrated with an isotropic chiral fluid, *Opt Commun* **214** (2002), 231–245.
- [108] J.A. Sherwin and A. Lakhtakia, Nominal model for the optical response of a chiral sculptured thin film infiltrated with an isotropic chiral fluid—oblique incidence, *Opt Commun* **222** (2002), 305–329.

- [109] J.A. Sherwin, A. Lakhtakia, and I.J. Hodgkinson, On calibration of a nominal structure-property relationship model for chiral sculptured thin films by axial transmittance measurements, *Opt Commun* **209** (2002), 369–375.
- [110] F. Wang, A. Lakhtakia, and R. Messier, On piezoelectric control of the optical response of sculptured thin films, *J Modern Opt* **50** (2003), 239–249.
- [111] F. Wang, A. Lakhtakia, and R. Messier, Towards piezoelectrically tunable chiral sculptured thin film lasers, *Sens Actuat A: Phys* **102** (2002), 31–35.
- [112] Q. Wu, I.J. Hodgkinson, and A. Lakhtakia, Circular polarization filters made of chiral sculptured thin films: experimental and simulation results, *Opt Engg* **39** (2000), 1863–1868.
- [113] V.C. Venugopal and A. Lakhtakia, On optical rotation and ellipticity transformation by axially excited slabs of dielectric thin-film helicoidal bianisotropic mediums (TFHBMs), *Int J Appl Electromag Mech* **9** (1998), 201–210.
- [114] A. Lakhtakia and V.C. Venugopal, Dielectric thin-film helicoidal bi-anisotropic medium bilayers as tunable polarization-independent laser mirrors and notch filters, *Microw Opt Technol Lett* **17** (1998), 135–140.
- [115] A. Lakhtakia and I.J. Hodgkinson, Spectral response of dielectric thin-film helicoidal bianisotropic medium bilayer, *Opt Commun* **167** (1999), 191–202.
- [116] A. Lakhtakia, Stepwise chirping of chiral sculptured thin films for Bragg bandwidth enhancement, *Microw Opt Technol Lett* **28** (2001), 323–326.
- [117] F. Chiadini and A. Lakhtakia, Design of wideband circular-polarization filters made of chiral sculptured thin films, *Microw Opt Technol Lett* **42** (2004), 135–138.
- [118] A. Lakhtakia, Axial excitation of tightly interlaced chiral sculptured thin films: “averaged” circular Bragg phenomenon, *Optik* **112** (2001), 119–124.
- [119] J. Wang, A. Lakhtakia, and J.B. Geddes III, Multiple Bragg regimes exhibited by a chiral sculptured thin film half-space on axial excitation, *Optik* **113** (2002), 213–221.
- [120] A. Lakhtakia, Dielectric sculptured thin films for polarization-discriminatory handedness-inversion of circularly polarized light, *Opt Engg* **38** (1999), 1596–1602.
- [121] I.J. Hodgkinson, A. Lakhtakia, and Q.h. Wu, Experimental realization of sculptured-thin-film polarization-discriminatory light-handedness inverters, *Opt Engg* **39** (2000), 2831–2834.
- [122] M.W. McCall and A. Lakhtakia, Polarization-dependent narrowband spectral filtering by chiral sculptured thin films, *J Modern Opt* **47** (2000), 743–755.
- [123] A. Lakhtakia and M. McCall, Sculptured thin films as ultranarrow-bandpass circular-polarization filters, *Opt Commun* **168** (1999), 457–465.
- [124] A. Lakhtakia, V.C. Venugopal, and M.W. McCall, Spectral holes in Bragg reflection from chiral sculptured thin films: circular polarization filters, *Opt Commun* **177** (2000), 57–68.

- [125] I.J. Hodgkinson, Q.h. Wu, A. Lakhtakia, and M.W. McCall, Spectral-hole filter fabricated using sculptured thin-film technology, *Opt Commun* **177** (2000), 79–84.
- [126] V.I. Kopp and A.Z. Genack, Twist defect in chiral photonic structures, *Phys Rev Lett* **89** (2002), 033901. [See also the correspondence on this paper: (i) C. Oldano, *Phys Rev Lett* **91** (2003), 259401; (ii) V.I. Kopp and A.Z. Genack, *Phys Rev Lett* **91** (2003), 259402.]
- [127] F. Wang and A. Lakhtakia, Specular and nonspecular, thickness-dependent spectral holes in a slanted chiral sculptured thin film with a central twist defect, *Opt Commun* **215** (2003), 79–92.
- [128] I.J. Hodgkinson, Q.h. Wu, L. De Silva, M. Arnold, M.W. McCall, and A. Lakhtakia, Supermodes of chiral photonic filters with combined twist and layer defects, *Phys Rev Lett* **91** (2003), 223903.
- [129] D. Maystre (ed), *Selected papers on diffraction gratings*, SPIE, Bellingham, WA, USA, 1993.
- [130] A. Lakhtakia, Dielectric sculptured thin films as Šolc filters, *Opt Engg* **37** (1998), 1870–1875.
- [131] A. Lakhtakia, On determining gas concentrations using thin-film helicoidal bianisotropic medium bilayers, *Sens Actuat B: Chem* **52** (1998), 243–250.
- [132] E. Ertekin and A. Lakhtakia, Sculptured thin film Šolc filters for optical sensing of gas concentration, *Eur Phys J Appl Phys* **5** (1999), 45–50.
- [133] I.J. Hodgkinson, Q.h. Wu, and K.M. McGrath, Moisture adsorption effects in biaxial and chiral optical thin film coatings, *Engineered nanostructural films and materials* (A. Lakhtakia and R.F. Messier, eds), Proc SPIE **3790**, SPIE, Bellingham, WA, USA, 1999, 184–194.
- [134] S.D. Jacobs (ed), *Selected papers on liquid crystals for optics*, SPIE, Bellingham, WA, USA, 1992.
- [135] H. Kawamoto, The history of liquid-crystal displays, *Proc IEEE* **90** (2002), 460–500.
- [136] J.C. Sit, D.J. Broer, and M.J. Brett, Liquid crystal alignment and switching in porous chiral thin films, *Adv Mater* **12** (2000), 371–373.
- [137] R. Vajtai, B.Q. Wei, Z.J. Zhang, Y. Jung, G. Ramanath, and P.M. Ajayan, Building carbon nanotubes and their smart architectures, *Smart Mater Struct* **11** (2002) 691–698.
- [138] A. Lakhtakia, Towards sculptured thin films (STFs) as optical interconnects, *Optik* **110** (1999), 289–293.
- [139] E. Ertekin and A. Lakhtakia, Optical interconnects realizable with thin-film helicoidal bianisotropic mediums, *Proc Roy Soc Lond A* **457** (2001), 817–836.
- [140] J.B. Geddes III and A. Lakhtakia, Reflection and transmission of optical narrow-extent pulses by axially excited chiral sculptured thin films, *Eur Phys J Appl Phys* **13** (2001), 3–14; corrections: **16** (2001), 247.
- [141] J.B. Geddes III and A. Lakhtakia, Pulse-coded information transmission across an axially excited chiral sculptured thin film in the Bragg regime, *Microw Opt Technol Lett* **28** (2001), 59–62.

- [142] A. Lakhtakia, On bioluminescent emission from chiral sculptured thin films, *Opt Commun* **188** (2001), 313–320.
- [143] A. Lakhtakia, Local inclination angle: a key structural factor in emission from chiral sculptured thin films, *Opt Commun* **202** (2002), 103–112; correction: **203** (2002), 447.
- [144] A. Lakhtakia, Pseudo-isotropic and maximum-bandwidth points for axially excited chiral sculptured thin films, *Microw Opt Technol Lett* **34** (2002), 367–371.
- [145] E.E. Roden and J.M. Zachara, Microbial reduction of crystalline iron(III) oxides: Influence of oxide surface area and potential for cell growth, *Environ Sci Technol* **30** (1996), 1618–1628.
- [146] A.S. Beliaev and D.A. Saffarini, *Shewanella putrefaciens mtrB* encodes an outer membrane protein required for Fe(III) and Mn(IV) reduction, *J Bacteriol* **180** (1998), 6292–6297.
- [147] A. Lakhtakia and M.W. Horn, Bragg-regime engineering by columnar thinning of chiral sculptured thin films, *Optik* **114** (2003), 556–560.
- [148] M.W. Horn, M.D. Pickett, R. Messier, and A. Lakhtakia, Blending of nanoscale and microscale in uniform large-area sculptured thin-film architectures, *Nanotechnology* **15** (2004), 303–310.
- [149] M. Malac and R.F. Egerton, Thin-film regular-array structures with 10–100 nm repeat distance, *Nanotechnology* **12** (2001), 11–13.
- [150] D. Felbacq and F. Zolla, Scattering theory of photonic crystals, *Introduction to complex mediums for optics and electromagnetics* (W.S. Weiglhofer and A. Lakhtakia, eds), SPIE, Bellingham, WA, USA, 2003.
- [151] J.W. Haus, Photonic band gap structures, *Nanometer structures: Theory, modeling, and simulation* (A. Lakhtakia, ed), SPIE, Bellingham, WA, USA, 2004.
- [152] O. Toader and S. John, Proposed square spiral microfabrication architecture for large three-dimensional photonic band gap crystals, *Science* **292** (2001), 1133–1135.
- [153] S.R. Kennedy, M.J. Brett, O. Toader, and S. John, Fabrication of tetragonal square spiral photonic crystals, *Nano Lett* **2** (2002), 59–62.
- [154] B. Dick, J.C. Sit, M.J. Brett, I.M.N. Votte, and C.W.M. Bastiaansen, Embossed polymeric relief structures as a template for the growth of periodic inorganic microstructures, *Nano Lett* **1** (2001), 71–73.
- [155] M. Suzuki, T. Ito, and Y. Taga, Photocatalysis of sculptured thin films of TiO₂, *Appl Phys Lett* **78** (2001), 3968–3970.
- [156] M. Riedel, B. Müller, and E. Wintermantel, Protein adsorption and monocyte activation on germanium nanopylramids, *Biomaterials* **22** (2001), 2307–2316.
- [157] C.D.W. Wilkinson, M. Riehle, M. Wood, J. Gallagher, and A.S.G. Curtis, The use of materials patterned on a nano- and micro-metric scale in cellular engineering, *Mater Sci Engg C* **19** (2002), 263–269.

- [158] A. Lakhtakia, Wave propagation in a piezoelectric, continuously twisted, structurally chiral medium along the axis of spirality, *Appl Acoust* **44** (1995), 25–37; corrections: **44** (1995), 385.
- [159] A. Lakhtakia, Exact analytic solution for oblique propagation in a piezoelectric, continuously twisted, structurally chiral medium, *Appl Acoust* **49** (1996), 225–236.
- [160] C. Oldano and S. Ponti, Acoustic wave propagation in structurally helical media, *Phys Rev E* **63** (2000), 011703.
- [161] A. Lakhtakia and M.W. Meredith, Shear axial modes in a PCTSCM. Part IV: bandstop and notch filters, *Sens Actuat A: Phys* **73** (1999), 193–200.
- [162] A. Lakhtakia, Shear axial modes in a PCTSCM. Part VI: simpler transmission spectral holes, *Sens Actuat A: Phys* **87** (2000), 78–80.
- [163] A. Lakhtakia, K. Robbie, and M.J. Brett, Spectral Green's function for wave excitation and propagation in a piezoelectric, continuously twisted, structurally chiral medium, *J Acoust Soc Am* **101** (1997), 2052–2059.
- [164] M.W. Seto, K. Robbie, D. Vick, M.J. Brett, and L. Kuhn, Mechanical response of thin films with helical microstructures, *J Vac Sci Technol B* **17** (1999), 2172–2177.
- [165] A. Lakhtakia, Axial loading of a chiral sculptured thin film, *Modelling Simul Mater Sci Engg* **8** (2000), 677–686.
- [166] A. Lakhtakia, Microscopic model for elastostatic and elastodynamic excitation of chiral sculptured thin films, *J Compos Mater* **36** (2002), 1277–1298.
- [167] R. Knepper and R. Messier, Morphology and mechanical properties of oblique angle columnar thin films, *Complex mediums* (A. Lakhtakia, W.S. Weiglhofer, and R.F. Messier, eds), Proc SPIE **4097**, SPIE, Bellingham, WA, USA, 2000, 291–298.
- [168] M. Suzuki, T. Ito, and Y. Taga, Morphological stability of TiO₂ thin films with isolated columns, *Jap J Appl Phys Part 2* **40** (2001), L398–L400.
- [169] V.C. Venugopal and A. Lakhtakia, Second harmonic emission from an axially excited slab of a dielectric thin-film helicoidal bianisotropic medium, *Proc Roy Soc Lond A* **454** (1998), 1535–1571; corrections: **455** (1999), 4383.
- [170] A. Lakhtakia, On second harmonic generation in sculptured nematic thin films (SNTFs), *Optik* **105** (1997), 115–120.
- [171] R.W. Boyd, *Nonlinear optics*, Academic Press, San Diego, CA, USA, 1992.
- [172] K. Robbie, G. Beydaghyan, T. Brown, C. Dean, J. Adams, and C. Buzea, Ultrahigh vacuum glancing angle deposition system for thin films with controlled three-dimensional nanoscale structure, *Rev Sci Instrum* **75** (2004), 1089–1097.
- [173] G.P. Thomson, N. Stuart, and C.A. Murison, The crystalline state of thin spluttered films of platinum, *Proc Phys Soc Lond* **45** (1933), 381–388.
- [174] W.R. Grove, On the electro-chemical polarity of gases, *Phil Trans Roy Soc Lond* **142** (1852), 87–101.

- [175] M. Faraday, Experimental relations of gold (and other metals) to light, *Phil Trans Roy Soc Lond* **147** (1857), 145–181. [See Lakhtakia [41] for a facsimile reproduction.]
- [176] A. Kundt, Ueber die electromagnetische Drehung der Polarisationssebene des Lichtes im Eisen, *Ann Phys Chem Lpz* **27** (1886), 191–202.
- [177] A. Hurion, Variations des propriétés physiques du bismuth placé dans un champ magnétique, *C R Acad Sci Paris* **98** (1884), 1257–1259.
- [178] L. Holland, *Vapor deposition of thin films*, Wiley, New York, NY, USA, 1956.
- [179] R.S. Sennett and G.D. Scott, The structure of evaporated metal films and their optical properties, *J Opt Soc Am* **40** (1950), 203–211. [See also the correspondence on this paper: (i) L. Holland, *J Opt Soc Am* **42** (1952), 686; (ii) R.S. Sennett and G.D. Scott, *J Opt Soc Am* **42** (1952), 686.]
- [180] T.M. Donovan and K. Heinemann, High-resolution electron microscope observation of voids in amorphous Ge, *Phys Rev Lett* **27** (1971), 1794–1796
- [181] S. Nakahara, Microporosity in thin films, *Thin Solid Films* **64** (1979), 149–161.
- [182] R.H. Wade and J. Silcox, Columnar structure in thin vacuum-condensed Pd films, *Appl Phys Lett* **8** (1966), 7–10.
- [183] R.H. Wade and J. Silcox, Small angle electron scattering from vacuum condensed metallic films I. Theory, *Phys Stat Sol* **19** (1967), 57–62.
- [184] R.H. Wade and J. Silcox, Small angle electron scattering from vacuum condensed metallic films II. Experimental results, *Phys Stat Sol* **19** (1967), 63–76.
- [185] A.G. Dirks and H.J. Leamy, Columnar microstructure in vapor-deposited thin films, *Thin Solid Films* **47** (1977), 219–233.
- [186] D. Henderson, M.H. Brodsky, and P. Chaudhari, Simulation of structural anisotropy and void formation in amorphous thin films, *Appl Phys Lett* **25** (1974), 641–643.
- [187] R. Messier, S.V. Krishnaswamy, L.R. Gilbert, and P. Swab, Black a-Si solar selective absorber surfaces, *J Appl Phys* **51** (1980), 1611–1614.
- [188] R. Messier and R.C. Ross, Evolution of microstructure in amorphous hydrogenated silicon, *J Appl Phys* **53** (1982), 6220–6225.
- [189] R.A. Roy and R. Messier, Preparation-physical structure relations in SiC sputtered films, *J Vac Sci Technol A* **2** (1984), 312–315.
- [190] R. Messier and J.E. Yehoda, Geometry of thin-film morphology, *J Appl Phys* **58** (1985), 3739–3746.
- [191] J.E. Yehoda and R. Messier, Quantitative analysis of thin film morphology evolution, *Optical thin films II: New developments* (R.I. Seddon, ed), Proc SPIE **678**, SPIE, Bellingham, WA, USA, 1986, 32–40.
- [192] J.E. Yehoda, B. Yang, K. Vedam, and R. Messier, Investigation of the void structure in amorphous germanium thin films as a function of low-energy ion bombardment, *J Vac Sci Technol A* **6** (1988), 1631–1635.

- [193] S.V. Krishnaswamy, R. Messier, Y.S. Ng, and T.T. Tsong, Thin film characterization by atom probe field ion microscopy, *Appl Phys Lett* **35** (1979), 870–872.
- [194] S.V. Krishnaswamy, R. Messier, S.B. McLane, Y.S. Ng, and T.T. Tsong, Cluster formation in amorphous and polycrystalline thin films, *Thin Solid Films* **79** (1981), 21–26.
- [195] A. Baltz, Electron microscope study of the roughness of permalloy films using surface replication, *J Appl Phys* **33** (1962), 1115–1116.
- [196] A.W. Wright, On the production of transparent metallic films by the electrical discharge in exhausted tubes, *Am J Sci Arts* **13** (1877), 49–55.
- [197] A.W. Wright, On a new process for the electrical deposition of metals, and for constructing metal-covered glass specula, *Am J Sci Arts* **14** (1878), 169–178.
- [198] A. Righi, Ricerche sperimentali e teoriche intorno alla riflessione della luce polarizzata sul polo d'una calamita, *Atti Accad Naz Lincei Mem Cl Sci* **3** (1886), 14–64.
- [199] B. Dessau, Ueber Metallschichten, welche durch Zerstäuben einer Kathode entstehen, *Ann Phys Chem Lpz* **29** (1886), 353–376.
- [200] G. Granqvist, Öfver katodens sönderdelning i förtunnade gaser. *Öfvers K Vetens-Akad Förhandl Stockholm* **10** (1897), 575–594.
- [201] C. Bergholm, Über Doppelbrechung in kathodenzerstäubten Metallschichten, *Ann Phys Lpz* **43** (1914), 1–23.
- [202] M. Cau, Étude de la préparation et des propriétés optiques et magnéto-optiques des couches tres minces de fer, *Ann Physique Paris* **11** (1929), 354–449.
- [203] O.F. Mossotti, Discussione analitica sull'influenza che l'azione di un mezzo dielettrico ha sulla distribuzione dell'elettricità alla superficie di più corpi elettrici disseminati in esso, *Mem Math Fisica Soc Ital Sci* **24** (2) (1850), 49–74. [See Lakhtakia [41] for a facsimile reproduction.]
- [204] M.T. Prinkey, A. Lakhtakia, and B. Shanker, On the extended Maxwell-Garnett and the extended Bruggeman approaches for dielectric-in-dielectric composites, *Optik* **96** (1994), 25–30.
- [205] L.V. Lorenz, Experimentale og theoretiske undersøgelser over legemernes brydningsforhold, I, *K Dan Vidensk Selsk Förh* **8** (1869), 203–248.
- [206] H.A. Lorentz, Über die Beziehung zwischen der Fortpflanzungsgeschwindigkeit des Lichtes under Körperdichte, *Ann Phys Chem Lpz* **9** (1880), 641–665.
- [207] P. Drude, Ueber die Phasenänderung des Lichtes bei der Reflexion an Metallen, *Ann Phys Chem Lpz* **50** (1893), 595–624; **51** (1894), 77–104.
- [208] J.C. Maxwell Garnett, Colours in metal glasses and in metallic films, *Phil Trans Roy Soc Lond A* **203** (1904), 385–420.
- [209] O. Wiener, Die Theorie des Mischkörpers für das Feld der Stationären Strömung. Erste Abhandlung: Die Mittelwertsätze für Kraft, Polarisation und Energie, *Abh Math-Phys Kl Königl Sächs Ges Wissen* **32** (1912), 507–604.

- [210] D.A.G. Bruggeman, Berechnung verschiedener physikalischer Konstanten von Substanzen. I. Dielektrizitätskonstanten und Leitfähigkeiten der Mischkörper aus isotropen Substanzen, *Ann Phys Lpz* **24** (1935), 636–679.
- [211] Ch. Maurain, Sur le mécanisme de production et la nature des pulvérisations cathodiques, *C R Acad Sci Paris* **141** (1905), 1223–1225.
- [212] Ch. Maurain, Dichroïsme, biréfringence et conductibilité de lames métalliques minces obtenues par pulvérisation cathodique, *C R Acad Sci Paris* **142** (1906), 870–872.
- [213] G.I. Finch and A.G. Quarrell, The structure of magnesium, zinc and aluminium films, *Proc Roy Soc Lond A* **141** (1933), 398–414.
- [214] K.R. Dixit, Investigation of the orientations in thin evaporated metallic films by the method of electron diffraction, *Phil Mag* **16** (1933), 1049–1064.
- [215] K. Beyersdorfer, Elektronenmikroskopische Oberflächenabbildung von Rubingläsern, *Optik* **5** (1949), 557–563.
- [216] G. Haas and N.W. Scott, Silicon monoxide protected front-surface mirrors, *J Opt Soc Am* **39** (1949), 179–184.
- [217] F.C. Frank and J.H. van der Merwe, One-dimensional dislocations. II. Misfitting monolayers and oriented overgrowth, *Proc Roy Soc Lond A* **198** (1949), 216–225.
- [218] J.W. Matthews (ed), *Epitaxial growth, Part A*, Academic Press, New York, NY, USA, 1975.
- [219] R.W. Vook, Theories of nucleation and growth of thin films, *Thin film technologies and special applications* (W.R. Hunter, ed), Proc SPIE **346**, SPIE, Bellingham, WA, USA, 1982, 2–8.
- [220] H.J. Leamy and A.G. Dirks, Microstructure and magnetism in amorphous rare-earth transition-metal thin films. I. Microstructure, *J Appl Phys* **49** (1978), 3430–3438.
- [221] L.I. Maissel and R. Glang (eds), *Handbook of thin film technology*, McGraw-Hill, New York, NY, USA, 1970.
- [222] M.S. Cohen, E.E. Huber, G.P. Weiss and D.O. Smith, Investigations into the origin of anisotropy in oblique-incidence films, *J Appl Phys* **31** (1960), 291S–292S.
- [223] T.G. Knorr and R.W. Hoffman, Dependence of geometric magnetic anisotropy in thin iron films, *Phys Rev* **113** (1959), 1039–1046.
- [224] E.W. Pugh, J. Matisoo, D.E. Speliotis, and E.L. Boyd, Magnetic anisotropy in evaporated iron films, *J Appl Phys* **31** (1960), 293S–295S.
- [225] M.S. Blois, Jr., Preparation of thin magnetic films and their properties, *J Appl Phys* **26** (1955), 975–979.
- [226] J.D. Finegan and R.W. Hoffman, Stress anisotropy in evaporated iron films, *J Appl Phys* **30** (1959), 597–598.
- [227] J.D. Finegan and R.W. Hoffman, Stress and stress anisotropy in iron films, *1961 Transactions of the 8th National Vacuum Symposium combined with the 2nd International Congress on Vacuum Science and Technology*, Washington, DC, USA, 1961, 935–942. [This two-volume work was published by Pergamon Press, New York, NY, USA, 1962.]

- [228] G.K. Wehner and G.S. Anderson, The nature of physical sputtering, *Handbook of thin film technology* (L.I. Maissel and R. Glang, eds), McGraw-Hill, New York, NY, USA, 1970.
- [229] J.A. Thornton, Influence of substrate temperature and deposition rate on structure of thick sputtered Cu coatings, *J Vac Sci Technol* **12** (1975), 830–835.
- [230] R.V. D’Aiello and S.J. Freedman, Microwave conductivity of granular superconducting aluminum films, *J Appl Phys* **40** (1969), 2156–2160.
- [231] H.J. Leamy, G. Gilmer, and A.G. Dirks, Vapor deposited thin films, *Current topics in materials science, Vol 6* (E. Kaldis, ed), North-Holland, Amsterdam, The Netherlands, 1980.
- [232] L.S. Palatnik and N.T. Gladkikh, On the microheterogeneous condensation of metals in vacuum, *Sov Phys Dokl* **6** (1962), 804–806.
- [233] L.S. Palatnik, N.T. Gladkikh, and M.N. Nakoba, The secondary (lower) limit condensation temperature for In, Sn, Pb, and Bi, *Sov Phys Solid State* **4** (1962), 143–145.
- [234] Yu.F. Komnik, Characteristic condensation temperatures of thin films, *Sov Phys Solid State* **6** (1965), 2309–2317.
- [235] J.A. Thornton, Influence of apparatus geometry and deposition conditions on the structure and topography of thick sputtered coatings, *J Vac Sci Technol* **11** (1974), 666–670.
- [236] R. Messier, Toward quantification of thin film morphology: Revisited, *Surface disordering: Growth, roughening, and phase transitions* (R. Jullien, J. Kertesz, P. Meakin, and D.E. Wolf, eds), Nova Science, Commack, NY, USA, 1993.
- [237] J.R. Blanco, R. Messier, K. Vedam, and P.J. McMarr, Spectroscopic ellipsometry study of rf-sputtered a-Ge films, *Mater Res Soc Symp Proc* **38** (1985), 301–307.
- [238] J.R. Blanco, P.J. McMarr, J.E. Yehoda, K. Vedam, and R. Messier, Density of amorphous germanium films by spectroscopic ellipsometry, *J Vac Sci Technol A* **4** (1986), 577–582.
- [239] P.J. McMarr, J.R. Blanco, K. Vedam, R. Messier, and L. Pilione, Thickness-dependent void fraction of rf-sputtered amorphous Ge films by spectroscopic ellipsometry, *Appl Phys Lett* **49** (1986), 328–330.
- [240] R. Messier, J.E. Yehoda, and L.J. Pilione, Ion-surface interactions: General understandings, *Handbook of plasma processing technology: Fundamentals, etching, deposition, and surface interactions* (S.M. Rossnagel, J.J. Cuomo, and W.D. Westwood, eds), Noyes Publications, Park Ridge, NJ, USA, 1990.
- [241] H.K. Pulker, *Coatings on glass, 2nd ed*, Elsevier, Amsterdam, The Netherlands, 1999.
- [242] S.M. Rossnagel, Directional and ionized physical vapor deposition for microelectronics applications, *J Vac Sci Technol B* **16** (1998), 2585–2608.

- [243] B. Chapman, *Glow discharge processes: Sputtering and plasma etching*, Wiley, New York, NY, USA, 1980.
- [244] L.R. Gilbert, R. Messier, and S.V. Krishnaswamy, Resputtering effects in Ba(Pb,Bi)O₃ perovskites, *J Vac Sci Technol* **17** (1980), 389–391.
- [245] R.S. Robinson, Energetic binary collisions in rare gas plasmas, *J Vac Sci Technol* **16** (1979), 185–188.
- [246] R.E. Somekh, The thermalization of energetic atoms during the sputtering process, *J Vac Sci Technol A* **2** (1984), 1285–1291.
- [247] T. Motohiro, Applications of Monte Carlo simulation in the analysis of a sputter-deposition process, *J Vac Sci Technol A* **4** (1986), 189–195.
- [248] S.M. Rossnagel, D. Mikalsen, H. Kinoshita, and J.J. Cuomo, Collimated magnetron sputter deposition, *J Vac Sci Technol A* **9** (1991), 261–265.
- [249] S.K. Dew, D. Liu, M.J. Brett, and T. Smy, Spatial and angular nonuniformities from collimated sputtering, *J Vac Sci Technol B* **11** (1993), 1281–1286.
- [250] K. Meyer, I.K. Schuller, and C.M. Falco, Thermalization of sputtered atoms, *J Appl Phys* **52** (1981), 5803–5805.
- [251] D. Vick, Y.Y. Tsui, M.J. Brett, and R. Fedosejevs, Production of porous carbon thin films by pulsed laser deposition, *Thin Solid Films* **350** (1999), 49–52.
- [252] R.F. Bunshah (ed), *Handbook of deposition technologies for films and coatings: Science, technology and applications, 2nd ed*, Noyes Publications, Park Ridge, NJ, USA, 1994.
- [253] S.M. Rossnagel, Thin film deposition with physical vapor deposition and related technologies, *J Vac Sci Technol A* **21** (2003), S74–S87.
- [254] I.C. Stevenson, Thin film deposition, *Encyclopedia of optical engineering*, Marcel Dekker, New York, NY, USA, 2003.
- [255] J.J. Cuomo and S.M. Rossnagel, Hollow-cathode-enhanced magnetron sputtering, *J Vac Sci Technol A* **4** (1986), 393–396.
- [256] S.M. Rossnagel, Gas density reduction effects in magnetrons, *J Vac Sci Technol A* **6** (1988), 19–24.
- [257] Z. Wang and S.A. Cohen, Hollow cathode magnetron, *J Vac Sci Technol A* **17** (1999), 77–82.
- [258] S.M. Rossnagel and J. Hopwood, Metal ion deposition from ionized magnetron sputtering discharge, *J Vac Sci Technol B* **12** (1994), 449–453.
- [259] V. Kouznetsov, K. Macák, J. Schneider, U. Helmersson, and I. Petrov, A novel pulsed magnetron sputter technique utilizing very high target power densities, *Surface Coat Technol* **122** (1999), 290–293.
- [260] K. Macák, V. Kouznetsov, J. Schneider, U. Helmersson, and I. Petrov, Ionized sputter deposition using an extremely high plasma density pulsed magnetron discharge, *J Vac Sci Technol A* **18** (2000), 1533–1537.
- [261] B. Window and N. Savvides, Charged particle fluxes from planar magnetron sputtering sources, *J Vac Sci Technol A* **4** (1986), 196–202.
- [262] D.M. Mattox, Film deposition using accelerated ions, *Electrochem Technol* **2** (1964), 295–298.

- [263] D.M. Mattox, Fundamentals of ion plating, *J Vac Sci Technol* **10** (1973), 47–52.
- [264] R.F. Bunshah and A.C. Raghuram, Activated reactive evaporation process for high rate deposition of compounds, *J Vac Sci Technol* **9** (1972), 1385–1388.
- [265] D.M. Sanders and A. Anders, Review of cathodic arc deposition technology at the start of the new millennium, *Surface Coat Technol* **133-134** (2000), 78–90.
- [266] P.J. Martin and A. Bendavid, Review of the filtered vacuum arc process and materials deposition, *Thin Solid Films* **394** (2001), 1–15.
- [267] J.J. Cuomo, S.M. Rossnagel, and H.R. Kaufman (eds), *Handbook of ion beam processing technology: Principles, deposition, film modification and synthesis*, Noyes Publications, Park Ridge, NJ, USA, 1989.
- [268] H.R. Kaufman, J.J. Cuomo, and J.M.E. Harper, Technology and applications of broad-beam ion sources used in sputtering. Part I. Ion source technology, *J Vac Sci Technol* **21** (1982), 725–736.
- [269] J.M.E. Harper, J.J. Cuomo, and H.R. Kaufman, Technology and applications of broad-beam ion sources used in sputtering. Part II. Applications, *J Vac Sci Technol* **21** (1982), 737–756.
- [270] H.R. Kaufman, R.S. Robinson, and R.I. Seddon, End-Hall ion source, *J Vac Sci Technol A* **5** (1987), 2081–2084.
- [271] H.R. Kaufman and J.M.E. Harper, Ion doses for low-energy ion-assist applications, *J Vac Sci Technol A* **22** (2004), 221–224.
- [272] D.E. Morton and R. Danielson, Ion assisted deposition (IAD) of TiO₂, Al₂O₃ and MgF₂ thin films using a high current/low energy ion surface, *Proceedings of the 40th Annual Technical Conference of the Society of Vacuum Coaters*, New Orleans, LA, USA, 1997, 203–209.
- [273] B. Yang, *Spectroscopic ellipsometry and computer simulation studies of thin film morphology evolution*, Ph.D. Thesis, Pennsylvania State University, University Park, PA, USA, 1988.
- [274] D.L. Smith, *Thin-film deposition: Principles and practice*, McGraw-Hill, New York, NY, USA, 1995.
- [275] G.H. Gilmer, C. Roland, D. Stock, M. Jaraiz, and T. Diaz de la Rubia, Simulations of thin film deposition from atomic and cluster beams, *Mater Sci Engg B* **37** (1996), 1–7.
- [276] K.H. Behrndt, Angle-of-incidence and stress effects on rotating and stationary substrates, *J Vac Sci Technol* **2** (1965), 63–70.
- [277] M.Q. Ding, A.F. Myers, W.B. Choi, R.D. Vispute, S.M. Camphausen, J. Narayan, J.J. Cuomo, and J.J. Hren, Field emission from amorphous diamond coated Mo tip emitters by pulsed laser deposition, *J Vac Sci Technol B* **15** (1997), 840–844.
- [278] J.M. Bennett, J. Jahanmir, J.C. Podlesny, T.L. Balter, and D.T. Hobbs, Scanning force microscope as a tool for studying optical surfaces, *Appl Opt* **34** (1995), 213–230.

- [279] J.C. Russ, *The image processing handbook, 3rd ed*, CRC Press, Boca Raton, FL, USA, 1999.
- [280] S.E. Roark, D.J. Semin, A. Lo, R.T. Skodje, and K.L. Rowlen, Solvent-induced morphology changes in thin silver films, *Anal Chim Acta* **307** (1995), 341–353.
- [281] S.E. Roark, D.J. Semin, and K.L. Rowlen, Quantitative evaluation of SERS-active Ag film nanostructure by atomic force microscopy, *Anal Chem* **68** (1996), 473–480.
- [282] J.M. Elson and J.M. Bennett, Calculation of the power spectral density from surface profile data, *Appl Opt* **34** (1995), 201–208.
- [283] A.E. Lita and J.E. Sanchez, Jr., Characterization of surface structure in sputtered Al films: Correlation to microstructure evolution, *J Appl Phys* **85** (1999), 876–882.
- [284] S. Hamaguchi and S.M. Rossnagel, Simulations of trench-filling profiles under ionized magnetron sputter metal deposition, *J Vac Sci Technol B* **13** (1995), 183–191.
- [285] S. Hamaguchi and S.M. Rossnagel, Liner conformality in ionized magnetron sputter metal deposition processes, *J Vac Sci Technol B* **14** (1996), 2603–2608.
- [286] C.A. Nichols, S. Hamaguchi, and S.M. Rossnagel, Ionized physical vapor deposition of Cu for high aspect ratio damascene trench fill applications, *J Vac Sci Technol B* **14** (1996), 3270–3275.
- [287] G.S. Bales, R. Bruinsma, E.A. Eklund, R.P.U. Karunasiri, J. Rudnick, and A. Zangwill, Growth and erosion of thin solid films, *Science* **249** (1990), 264–268.
- [288] G.S. Bales and A. Zangwill, Macroscopic model for columnar growth of amorphous films by sputter deposition, *J Vac Sci Technol A* **9** (1991), 145–149.
- [289] P. Koblinski, A. Maritan, F. Toigo, R. Messier, and J.R. Banavar, Continuum model for the growth of interfaces, *Phys Rev E* **53** (1996), 759–778.
- [290] P. Meakin, Ballistic deposition onto inclined surfaces, *Phys Rev A* **38** (1988), 994–1004.
- [291] L. Abelmann and C. Lodder, Oblique evaporation and surface diffusion, *Thin Solid Films* **305** (1997), 1–21.
- [292] T. Smy, D. Vick, M.J. Brett, S.K. Dew, A.T. Wu, J.C. Sit, and K.D. Harris, Three-dimensional simulation of film microstructure produced by glancing angle deposition, *J Vac Sci Technol A* **18** (2000), 2507–2512.
- [293] H.S. Witham, P. Chindaudom, R. Messier, and K. Vedam, Morphology control of the electrochromic effect in tungsten oxide thin films, *Mater Res Soc Symp Proc* **255** (1992), 275–280.
- [294] H.S. Witham, P. Chindaudom, I. An, R.W. Collins, R. Messier, and K. Vedam, Effect of preparation conditions on the morphology and electrochromic properties of amorphous tungsten oxide films, *J Vac Sci Technol A* **11** (1992), 1881–1887.

- [295] I. An, R.W. Collins, H.V. Nguyen, K. Vedam, H.S. Witham, and R. Messier, Hydrogen diffusion and reaction processes in thin films investigated by real time spectroscopic ellipsometry, *Thin Solid Films* **233** (1993), 276–280.
- [296] R.A. Roy, *Evolution of morphology in amorphous and crystalline silicon carbide sputtered films*, Ph.D. Thesis, Pennsylvania State University, University Park, PA, USA, 1985.
- [297] W. Eckstein, C. García-Rosales, J. Roth, and J. László, Threshold energy for sputtering and its dependence on angle of incidence, *Nucl Instrum Methods Phys Res B* **83** (1993), 95–109.
- [298] R.V. Stuart and G.K. Wehner, Sputtering yields at very low bombarding ion energies, *J Appl Phys* **33** (1962), 2345–2352.
- [299] J.J. Cuomo, D.L. Pappas, R. Lossy, J.P. Doyle, J. Bruley, G.W. Di Bello, and W. Krakow, Energetic carbon deposition at oblique angles, *J Vac Sci Technol A* **10** (1992), 3414–3418.
- [300] K.R. Gunasekhar, M.G. Krishna, A.R. Raju, K.N. Krishna, and S. Mohan, Effects of oblique energetic bombardment on the morphology and microstructure of triode ion plated titanium films, *J Vac Sci Technol A* **14** (1996), 352–358.
- [301] I. Hodgkinson and Q.H. Wu, Ion-beam control of thin-film microstructural column angle, *Modern Phys Lett B* **15** (2001), 1328–1331.
- [302] I. Hodgkinson and Q.H. Wu, Vacuum deposited biaxial thin films with all principal axes inclined to the substrate, *J Vac Sci Technol A* **17** (1999), 2928–2932.
- [303] E. Main, T. Karabacak, and T.M. Lu, Continuum model for nanocolumn growth during oblique angle deposition, *J Appl Phys* **95** (2004), 4346–4351.
- [304] A. Lakhtakia, M.W. Horn, and R. Messier, Sculptured thin films with transverse architecture, *SPIE Nanotechnology E-Bulletin* **1**(1) (2004), 1–2.
- [305] A. Lakhtakia (ed), *Essays on the formal aspects of electromagnetic theory*, World Scientific, Singapore, 1993.
- [306] J.Z. Buchwald, *From Maxwell to microphysics: Aspects of electromagnetic theory in the last quarter of the nineteenth century*, University of Chicago Press, Chicago, IL, USA, 1985.
- [307] E.J. Post, Separating field and constitutive equations in electromagnetic theory, *Introduction to complex mediums for optics and electromagnetics* (W.S. Weiglhofer and A. Lakhtakia, eds), SPIE, Bellingham, WA, USA, 2003.
- [308] O.N. Singh and A. Lakhtakia (eds), *Electromagnetic fields in unconventional materials and structures*, Wiley, New York, NY, USA, 2000.
- [309] W.S. Weiglhofer and A. Lakhtakia (eds), *Introduction to complex mediums for optics and electromagnetics*, SPIE, Bellingham, WA, USA, 2003.
- [310] J.C. Maxwell, *A treatise on electricity and magnetism, 3rd ed*, Dover Press, New York, NY, USA, 1954.
- [311] T.K. Simpson, *Maxwell on the electromagnetic field: A guided study*, Rutgers University Press, New Brunswick, NJ, USA, 1997.

- [312] J.Z. Buchwald, *The creation of scientific effects: Heinrich Hertz and electric waves*, University of Chicago Press, Chicago, IL, USA, 1994.
- [313] A. Lakhtakia (ed), *Models and modelers of hydrogen*, World Scientific, Singapore, 1996.
- [314] J. Schwinger (ed), *Selected papers on quantum electrodynamics*, Dover Press, New York, NY, USA, 1958.
- [315] J.D. Jackson, *Classical electrodynamics, 3rd ed*, Wiley, New York, NY, USA, 1999.
- [316] W.G. Dixon, *Special relativity: The foundation of modern physics*, Cambridge University Press, Cambridge, United Kingdom, 1978.
- [317] A. Lakhtakia, Covariances and invariances of the Maxwell postulates, *Advanced electromagnetism: Foundations, theory and applications* (T.W. Barrett and D.M. Grimes, eds), World Scientific, 1995, 390–410.
- [318] A. Einstein, *Relativity: The special and the general theory*, Wings Books, New York, NY, USA, 1961.
- [319] E.J. Post, *Formal structure of electromagnetics*, Dover Press, New York, NY, USA, 1997.
- [320] J.R. Lucas and P.E. Hodgson, *Spacetime and electromagnetism*, Clarendon Press, Oxford, United Kingdom, 1990.
- [321] G. Scharf, *From electrostatics to optics*, Springer, Berlin, Germany, 1994.
- [322] J.S. Walker, *Fourier analysis*, Oxford University Press, New York, NY, USA, 1988.
- [323] T.K. Sarkar, D.D. Weiner, and V.K. Jain, Some mathematical considerations in dealing with the inverse problem, *IEEE Trans Antennas Propagat* **29** (1981), 373–379.
- [324] E. Kreyszig, *Advanced engineering mathematics, 6th ed*, Wiley, New York, NY, USA, 1988.
- [325] J.F. Nye, *Physical properties of crystals*, Clarendon Press, Oxford, United Kingdom, 1985.
- [326] D.R. Lovett, *Tensor properties of crystals*, Adam Hilger, Bristol, United Kingdom, 1989.
- [327] W.S. Weiglhofer, Scalar Hertz potentials for linear bianisotropic mediums, *Electromagnetic fields in unconventional materials and structures* (O.N. Singh and A. Lakhtakia, eds), Wiley, New York, NY, USA, 2000.
- [328] T.H. O'Dell, *The electrodynamics of magneto-electric media*, North-Holland, Amsterdam, The Netherlands, 1970.
- [329] A. Lakhtakia, An investigative report on the constitutive relations of linear magnetoelectric media, *Int J Infrared Millim Waves* **15** (1994), 1363–1372.
- [330] A. Lakhtakia (ed), *Selected papers on natural optical activity*, SPIE, Bellingham, WA, USA, 1990.
- [331] A. Lakhtakia and W.S. Weiglhofer, On a constraint on the electromagnetic constitutive relations of nonhomogeneous linear media, *IMA J Appl Math* **54** (1995), 301–306.

- [332] A. Lakhtakia, On the genesis of Post constraint in modern electromagnetism, *Optik* **115** (2004), 151–158.
- [333] C.M. Krowne, Electromagnetic theorems for complex anisotropic media, *IEEE Trans Antennas Propagat* **32** (1984), 1224–1230. [See Lakhtakia [330] for a facsimile reproduction.]
- [334] R. Aris, *Vectors, tensors, and the basic equations of fluid mechanics*, Prentice-Hall, Englewood Cliffs, NJ, USA, 1962.
- [335] M.D. Pickett and A. Lakhtakia, On gyrotropic chiral sculptured thin films for magneto-optics, *Optik* **113** (2002), 367–371.
- [336] P.S. Neelakanta, *Handbook of composite materials*, CRC Press, Boca Raton, FL, USA, 1995.
- [337] B. Michel, Recent developments in the homogenization of linear bianisotropic composite materials, *Electromagnetic fields in unconventional materials and structures* (O.N. Singh and A. Lakhtakia, eds), Wiley, New York, NY, USA, 2000.
- [338] T.G. Mackay, Homogenization of linear and nonlinear composite materials, *Introduction to complex mediums for optics and electromagnetics* (W.S. Weiglhofer and A. Lakhtakia, eds), SPIE, Bellingham, WA, USA, 2003.
- [339] W. Klyne and J. Buckingham, *Atlas of stereochemistry: Absolute configurations of organic molecules*, Oxford University Press, Oxford, United Kingdom, 1978.
- [340] B. Testa, *Principles of organic stereochemistry*, Marcel Dekker, New York, NY, USA, 1979.
- [341] J. Jacques, *The molecule and its double*, McGraw-Hill, New York, NY, USA, 1993.
- [342] A. Lakhtakia, *Beltrami fields in chiral media*, World Scientific, Singapore, 1994.
- [343] S. Chandrasekhar, *Liquid crystals, 2nd ed*, Cambridge University Press, Cambridge, United Kingdom, 1992.
- [344] P.G. de Gennes and J. Prost, *The physics of liquid crystals, 2nd ed*, Clarendon Press, Oxford, United Kingdom, 1993.
- [345] J.A. Sherwin and A. Lakhtakia, Bragg-Pippard formalism for bianisotropic particulate composites, *Microw Opt Technol Lett* **33** (2002), 40–44.
- [346] L. Tsang, J.A. Kong, and R.W. Newton, Application of strong fluctuation random medium theory to scattering of electromagnetic waves from a half-space of dielectric mixture, *IEEE Trans Antennas Propagat* **30** (1982), 292–302.
- [347] J.Z. Buchwald, *The rise of the wave theory of light: Optical theory and experiment in the early nineteenth century*, University of Chicago Press, Chicago, IL, USA, 1989.
- [348] M. Born and E. Wolf, *Principles of optics, 6th ed*, Cambridge University Press, Cambridge, United Kingdom, 1980.

- [349] C.F. Bohren, *What light through yonder window breaks?* Wiley, New York, NY, USA, 1991.
- [350] R. Rashed, A pioneer in anaclastics, Ibn Sahl on burning mirrors and lenses, *Isis* **81** (1990), 464–491.
- [351] H. Lütkepohl, *Handbook of matrices*, Wiley, Chichester, United Kingdom, 1996.
- [352] A. Boström, G. Kristensson, and S. Ström, Transformation properties of plane, spherical and cylindrical scalar and vector wave functions, *Field representations and introduction to scattering* (V.V. Varadan, A. Lakhtakia, and V.K. Varadan, eds), North-Holland, Amsterdam, The Netherlands, 1991.
- [353] A. Ghatak, *Optics*, Tata McGraw-Hill, New Delhi, India, 1977.
- [354] I. Šolc, A new kind of double refracting filter, *Czechoslovak J Phys* **4** (1954), 65–66.
- [355] F. Flory and L. Escoubas, Optical properties of nanostructured thin films, *Progr Quantum Electron* **28** (2004), 89–112.
- [356] A. Lakhtakia and R. Messier, Reflection at the Motohiro-Taga interface of two anisotropic materials with columnar microstructures, *Opt Engg* **33** (1994), 2529–2534.
- [357] G. Ya. Slepian and A.S. Maksimenko, Motohiro-Taga interface in sculptured thin films—absence of Bragg phenomena, *Opt Engg* **37** (1998), 2843–2847.
- [358] R. Sugita, Co-Cr perpendicular magnetic recording tape by vacuum deposition, *IEEE Trans Magnetics* **20** (1984), 687–692.
- [359] R. Sugita, T. Nambu, and Y. Sakamoto, Magnetic properties of vacuum deposited Co-Cr perpendicular media and their recording performances, *IEEE Trans Magnetics* **23** (1987), 2449–2454.
- [360] C.-T. Tai, *Dyadic Green functions in electromagnetic theory*, 2nd ed, IEEE Press, New York, NY, USA, 1993.
- [361] A. Lakhtakia and W.S. Weiglhofer, Perturbational solution for propagation in periodically bent nematic liquid crystals and thin films, *Microw Opt Technol Lett* **11** (1996), 320–323.
- [362] H.L. Ong and R.B. Meyer, Electromagnetic wave propagation in a periodically bent nematic liquid crystal, *J Opt Soc Am* **73** (1983), 167–176.
- [363] W. Magnus and S. Winkler, *Hill's equation*, Wiley, New York, NY, USA, 1966.
- [364] S. Mori, H. Teraguchi, J. Yamakita, and K. Rokushima, Analysis of wave diffraction in a periodically bent nematic liquid crystal, *J Opt Soc Am A* **7** (1990), 1562–1566.
- [365] M. Abramowitz and I.A. Stegun, *Handbook of mathematical functions*, Dover Press, New York, NY, USA, 1972.
- [366] W.H. Southwell, Spectral response calculations of rugate filters using coupled-wave theory, *J Opt Soc Am A* **5** (1988), 1558–1564.
- [367] R. Overend, D.R. Gibson, and R. Marshall, Rugate filter fabrication using neutral cluster beam deposition, *Vacuum* **43** (1992), 51–54.

- [368] A.J. McPhun, Q.H. Wu, and I.J. Hodgkinson, Birefringent rugate filters, *Electron Lett* **34** (1998), 360–361.
- [369] V.C. Venugopal and A. Lakhtakia, Dielectric sculptured nematic thin films for rugate-like filters, *Opt Commun* **149** (1998), 217–222.
- [370] A. Lakhtakia, V.C. Venugopal, and R. Messier, Dielectric sculptured nematic thin-film bilayers with S-shaped morphology as rugate-like filters, *Microw Opt Technol Lett* **18** (1998), 147–149.
- [371] K. Kaminska, M. Suzuki, K. Kimura, Y. Taga, and K. Robbie, Simulating structure and optical response of vacuum evaporated porous rugate filters, *J Appl Phys* **95** (2004), 3055–3062.
- [372] J.C. Bose, On the rotation of plane of polarisation of electric waves by a twisted structure, *Proc Roy Soc Lond* **63** (1898) 146–152. [See Singh and Lakhtakia [308] for a facsimile reproduction.]
- [373] C.W. Oseen, The theory of liquid crystals, *J Chem Soc Faraday Trans II* **29** (1933), 883–899.
- [374] A. Lakhtakia and W.S. Weiglhofer, Green function for radiation and propagation in helicoidal bianisotropic mediums, *IEE Proc Microw Antennas Propagat* **144** (1997), 57–59.
- [375] Ch. Mauguin, Sur la représentation géométrique de Poincaré relative aux propriétés optiques des piles de lames, *Bull Soc Fr Minér Cristallogr* **34** (1911), 6–15.
- [376] R. Dreher and G. Meier, Optical properties of cholesteric liquid crystals, *Phys Rev A* **8** (1973), 1616–1623.
- [377] C. Oldano, E. Miraldi, and P. Taverna Valabrega, Dispersion relation for propagation of light in cholesteric liquid crystals, *Phys Rev A* **27** (1983), 3291–3299.
- [378] H. Kogelnik, Coupled wave theory for thick hologram gratings, *Bell Syst Tech J* **48** (1969), 2909–2947.
- [379] E. Reusch, Untersuchung über Glimmercombinationen, *Ann Phys Chem Lpz* **138** (1869), 628–638. [See Lakhtakia [41] for a facsimile reproduction.]
- [380] A. Lakhtakia and V.C. Venugopal, On Bragg reflection by helicoidal bianisotropic mediums, *Arch Elektron Übertrag* **53** (1999), 287–290.
- [381] V.C. Venugopal and A. Lakhtakia, On absorption by non-axially excited slabs of dielectric thin-film helicoidal bianisotropic mediums, *Eur Phys J Appl Phys* **10** (2000), 173–184.
- [382] H. Takezoe, K. Hashimoto, Y. Ouchi, M. Hara, A. Fukuda, and E. Kuze, Experimental study on higher order reflection by monodomain cholesteric liquid crystals, *Mol Cryst Liq Cryst* **101** (1983), 329–340.
- [383] I. Abdulhalim, R. Weil, and L. Benguigui, Dispersion and attenuation of the eigenwaves for light propagation in helicoidal liquid crystals, *Liq Cryst* **1** (1986), 155–167.
- [384] V.A. Belyakov, V.E. Dmitrienko, and V.P. Orlov, Optics of cholesteric liquid crystals, *Sov Phys Usp* **22** (1979), 63–88.

- [385] M.W. McCall, Axial electromagnetic wave propagation in inhomogeneous dielectrics, *Math Comput Modelling* **34** (2001), 1483–1497.
- [386] P. Allia, C. Oldano, and L. Trossi, 4×4 matrix approach to chiral (sic) liquid crystal optics, *J Opt Soc Am B* **3** (1986), 424–429.
- [387] P.M. Morse and H. Feshbach, *Methods of theoretical physics*, McGraw-Hill, New York, NY, USA, 1953.
- [388] I.J. Hodgkinson, Q.h. Wu, M. Arnold, M.W. McCall, and A. Lakhtakia, Chiral mirror and optical resonator designs for circularly polarized light: suppression of cross-polarized reflectances and transmittances, *Opt Commun* **210** (2002), 201–211.
- [389] G. Borrmann, Über Extinktionsdiagramme von Quarz, *Phys Zeit* **42** (1941), 157–162.
- [390] G. Borrmann, Die Absorption von Röntgenstrahlen im Fall der Interferenz, *Zeit Phys* **127** (1950), 297–323.
- [391] P.P. Ewald, Crystal optics for visible light and X rays, *Rev Modern Phys* **37** (1965), 46–56.
- [392] A. Lakhtakia, Scaling of fields, sources, and constitutive properties in bianisotropic media, *Microw Opt Technol Lett* **7** (1994), 328–330.
- [393] R. Nityananda, U.D. Kini, S. Chandrasekhar, and K.A. Suresh, Anomalous transmission (Borrmann effect) in absorbing cholesteric liquid crystals, *Pramana, Supplement 1* (1975), 325–340.
- [394] V.C. Venugopal and A. Lakhtakia, On selective absorption in an axially excited slab of a dielectric thin-film helicoidal bianisotropic medium, *Opt Commun* **145** (1998), 171–187; correction: **161** (1999), 370.
- [395] P. C. Clemmow, *The plane wave spectrum representation of electromagnetic fields*, Pergamon Press, New York, NY, USA, 1956.
- [396] A. Lakhtakia and M.W. McCall, Response of chiral sculptured thin films to dipolar sources, *Arch Elektron Übertrag* **57** (2003), 23–32.
- [397] F. Wang and A. Lakhtakia, Response of slanted chiral sculptured thin films to dipolar sources, *Opt Commun* **235** (2004), 133–151.
- [398] M.A. Paesler and P.J. Moyer, *Near-field optics: Theory, instrumentation, and applications*, Wiley, New York, NY, USA, 1996.
- [399] A. Naber, H. Kock, and H. Fuchs, High-resolution lithography with near-field optical microscopy, *Scanning* **18** (1996), 567–571.
- [400] A. Lakhtakia, On percolation and circular Bragg phenomenon in metallic, helicoidally periodic, sculptured thin films, *Microw Opt Technol Lett* **24** (2000), 239–244.
- [401] C.F. Bohren and D.F. Huffman, *Absorption and scattering of light by small particles*, Wiley, New York, NY, USA, 1983.
- [402] J.M. Ziman, *Principles of the theory of solids*, Cambridge University Press, Cambridge, United Kingdom, 1972.
- [403] M.W. McCall and A. Lakhtakia, Explicit expressions for spectral remittances of axially excited chiral sculptured thin films, *J Modern Opt* **51** (2004), 111–127.

- [404] E. Ertekin, V.C. Venugopal, and A. Lakhtakia, Effect of substrate and lid on the optical response of an axially excited slab of a dielectric thin-film helicoidal bianisotropic medium, *Microw Opt Technol Lett* **20** (1998), 218–222.
- [405] C.A. Emeis, L.J. Oosterhoff, and G. de Vries, Numerical evaluation of Kramers–Kronig relations, *Proc Roy Soc Lond A* **297** (1967), 54–65.
- [406] F. Guérin and A. Lakhtakia, On the frequency-dependence of the chirality pseudoscalar of a chiral medium, *J Phys III France* **5** (1995), 913–918.
- [407] J. Ferguson, Cholesteric structure—I. Optical properties, *Mol Cryst* **1** (1966), 293–307.
- [408] S. Chandrasekhar and J.S. Prasad, Theory of rotatory dispersion of cholesteric liquid crystals, *Mol Cryst Liq Cryst* **14** (1971), 115–128.
- [409] A.C. van Popta, J.C. Sit, and M.J. Brett, Optical properties of porous helical thin films, *Appl Opt* **43** (2004), 3632–3639.
- [410] S.R. Kennedy, J.C. Sit, D.J. Broer, and M.J. Brett, Optical activity of chiral thin film and liquid crystal hybrids, *Liq Cryst* **28** (2001), 1799–1803.
- [411] V.A. Belyakov, *Diffraction optics of complex-structured periodic media*, Springer, New York, NY, USA, 1988.
- [412] A. Lakhtakia, On the possibility of anomalous axial propagation in highly dissipative dielectric TFHBMs, *J Phys D: Appl Phys* **31** (1998), 235–239.
- [413] W. Voigt, On the behaviour of pleochroitic crystals along directions in the neighbourhood of an optic axis, *Phil Mag* **4** (1902), 90–97.
- [414] J. Gerardin and A. Lakhtakia, Conditions for Voigt wave propagation in linear, homogeneous, dielectric mediums, *Optik* **112** (2001), 493–495.
- [415] A. Lakhtakia, Energy flows in axially excited, locally biaxial, dielectric, helicoidal bianisotropic media (HBMs), *Opt Commun* **161** (1999), 275–286.
- [416] A. Lakhtakia and M.W. McCall, Simple expressions for Bragg reflection from axially excited chiral sculptured thin films, *J Modern Opt* **49** (2002), 1525–1535.
- [417] A. Lakhtakia and J.T. Moyer, Post- versus pre-resonance characteristics of axially excited chiral sculptured thin films, *Optik* **113** (2002), 97–99.
- [418] P. Corkum, Experimental attosecond science makes its debut, *Physics World* **13**(2) (2000), 23–24.
- [419] S. Nolte, G. Kamlage, F. Korte, T. Bauer, T. Wagner, A. Ostendorf, C. Fallnich, and H. Welling, Microstructuring with femtosecond lasers. *Adv Eng Mater* **2** (2000), 23–27.
- [420] N.A. Papadogiannis, B. Witzel, C. Kalpouzos, and D. Charalambidis, Observation of attosecond light localization in higher order harmonic generation, *Phys Rev Lett* **83** (1999), 4289–4292. [See also the correspondence on this paper: (i) G. Tempea, A. Scrinzi, F. Krausz, and T. Brabec, *Phys Rev Lett* **87** (2001), 109401; (ii) N.A. Papadogiannis, B. Witzel, C. Kalpouzos, and D. Charalambidis, *Phys Rev Lett* **87** (2001), 109402.]
- [421] J.B. Geddes III and A. Lakhtakia, Videopulse bleeding in axially excited chiral sculptured thin films in the Bragg regime, *Eur Phys J Appl Phys* **17** (2002), 21–24.

- [422] J. Adams, W. Haas, and J. Dailey, Cholesteric films as optical filters, *J Appl Phys* **42** (1971), 4096–4098.
- [423] S.D. Jacobs, K.A. Cerqua, K.L. Marshall, A. Schmid, M.J. Guardalben, and K.J. Skerrett, Liquid-crystal laser optics: design, fabrication, and performance, *J Opt Soc Am B* **5** (1988), 1962–1979.
- [424] H.A. Haus and C.V. Shank, Aymmetric taper of distributed feedback lasers, *IEEE J Quantum Electron* **12** (1976), 532–539.
- [425] G.P. Agrawal and S. Radic, Phase-shifted fiber Bragg gratings and their application for wavelength demultiplexing, *IEEE Photon Technol Lett* **6** (1994), 995–997.
- [426] M. McCall, On the application of coupled mode theory for modeling fiber Bragg gratings, *J Lightwave Technol* **18** (2000), 236–242.
- [427] B.P. Pal, All-fiber guided wave components, *Electromagnetic fields in unconventional materials and structures* (O.N. Singh and A. Lakhtakia, eds), Wiley, New York, NY, USA, 2000.
- [428] J.W. Evans, Solc birefringent filter, *J Opt Soc Am* **48** (1958), 142–145. [Corrections are available in the following paper: J.W. Evans, A birefringent monochromator for isolating high orders in grating spectra, *Appl Opt* **2** (1963), 193–197.]
- [429] H.A. Tarry, Electrically tunable narrowband optical filter, *Electron Lett* **11** (1975), 471–472.
- [430] D.A. Pinnow, R.L. Abrams, J.F. Lotspeich, D.M. Henderson, T.K. Plant, R.R. Stephens, and C.M. Walker, An electro-optic tunable filter, *Appl Phys Lett* **34** (1979), 391–393.
- [431] V. Reichel and B. Höfer, All-fibre optical Solc and Lyot filters, *Int J Optoelectron* **8** (1993), 587–594.
- [432] P. Yeh, Transmission spectrum of a Solc filter, *Opt Commun* **29** (1979), 1–6.
- [433] V.A. Kucherov, A simple way for Solc filter synthesis, *Kinemat Phys Celest Bodies* **12** (1996), 59–70.
- [434] S. Odenbach, Magnetic fluids—suspensions of magnetic dipoles and their magnetic control, *J Phys: Condens Matter* **15** (2003), S1497–S1508.
- [435] S. Odenbach, Recent progress in magnetic fluid research, *J Phys: Condens Matter* **16** (2004), R1135–R1150.
- [436] X.-H. Xu and A.J. Bard, Immobilization and hybridization of DNA on an aluminum(III) alkanebisphosphonate thin film with electrogenerated chemiluminescent detection, *J Am Chem Soc* **117** (1995), 2627–2631.
- [437] A. Islam, N. Ikeda, A. Yoshimura, and T. Ohno, Nonradiative transition of phosphorescent charge-transfer states of ruthenium(II)-to-2,2'-biquinoline and ruthenium(II)-to-2,2' : 6',2''-terpyridine in the solid state, *Inorg Chem* **37** (1998), 3093–3098.
- [438] E.S. Handy, A.J. Pal, and M.F. Rubner, Solid-state light-emitting devices based on the tris-chelated ruthenium (II) complex. 2. Tris(bipyridyl)ruthenium(II) as a high-brightness emitter, *J Am Chem Soc* **121** (1999), 3525–3528.

- [439] A. Lakhtakia, On radiation from canonical source configurations embedded in structurally chiral materials, *Microw Opt Technol Lett* **37** (2003), 37–40.
- [440] E.E. Steltz and A. Lakhtakia, Theory of second-harmonic-generated radiation from chiral sculptured thin films for biosensing, *Opt Commun* **216** (2003), 139–150.
- [441] K. Bjorknas, P. Raynes, S. Gilmour, V. Christou, and K. Look, Circularly polarised luminescence from an organoterbium emitter embedded in a chiral polymer, *Complex mediums III: Beyond linear isotropic dielectrics* (A. Lakhtakia, G. Dewar, and M.W. McCall, eds), Proc SPIE **4806**, SPIE, Bellingham, WA, USA, 2002, 240–247.
- [442] V.I. Kopp, B. Fan, H.K.M. Vithana, and A.Z. Genack, Low-threshold lasing at the edge of a photonic stop band in cholesteric liquid crystals, *Opt Lett* **23** (1998), 1707–1709.
- [443] J. Schmidtke and W. Stille, Fluorescence of a dye-doped cholesteric liquid crystal film in the region of the stop band: theory and experiment, *Eur Phys J B* **31** (2003), 179–194.
- [444] C.C. Bowley, P.A. Kosyrev, G.P. Crawford, and S. Faris, Variable-wavelength switchable Bragg gratings formed in polymer-dispersed liquid crystals, *Appl Phys Lett* **79** (2001), 9–11.
- [445] E.W. White, Biomaterials innovation: it's a long road to the operating room, *Mater Res Innovat* **1** (1997), 57–63.
- [446] K.D. Harris, K.L. Westra, and M.J. Brett, Fabrication of perforated thin films with helical and chevron pore shapes, *Electrochem Solid-State Lett* **4** (2001), C39–C42.
- [447] J. Van Bladel, *Electromagnetic fields*, Hemisphere, Washington, DC, USA, 1985.
- [448] P. Boulanger and M. Hayes, Electromagnetic plane waves in anisotropic media: An approach using bivectors, *Phil Trans Roy Soc Lond A* **330** (1990), 335–393.

Index

A

absorbance, 35, 144, 170, 212, 213
adatom, 7, 9, 11, 29, 30, 35, 50, 51, 64, 68
 definition of, 7
adatom mobility, 29, 30, 35, 37, 38, 41, 47, 86
 bombardment-induced, 31, 38–40, 42,
 61, 66, 68–70, 76
 high, 9, 35
 low, 7, 30, 32, 35, 37–39, 42, 68, 74, 95,
 98
 thermal-induced, 30, 38, 39, 68, 87
 low, 40
AFM, *see* atomic force microscope
agate, 4
alloys, 58
aluminum, 3, 31
aluminum oxide, 3
Ampère, A.M., 100
angular frequency, 10, 104
anisotropy, 2, 4, 23, 50, 106
 columnar, 10, 85
 density, 10, 11, 70, 71, 85, 148, 225
 magnetic, 34, 36
 morphological, 28, 32, 33, 36, 37, 56
 optical, 28, 33, 34, 36, 70
 strain, 36
 stress, 36, 70–72, 85
arc discharge, 57
 pulsed-electric, 63
 pulsed-laser, 63
arc-discharge target, 63
argon, 54, 69, 75, 82
argon–nitrogen mixture, 59
argon–oxygen mixture, 59, 82
atomic force microscope, 71, 77, 94, 98
attosecond pulse, 222
axial propagation, *see* propagation, axial

B

bacteria, 22
ballistic aggregation, 7, 10, 31, 32, 35, 38, 40,
 45, 74, 78, 81
bandwidth control, 257

bandwidth engineering, 19, 258
Bartholin, E., 124
beamsplitter, 20
Belyakov, V.A., 216
bianisotropy, 14, 106, 180
biaxiality, 11, 108
 local, 117
bilayer, 146, 170, 235
biochip, 22, 252
bioluminescence, 22, 24, 252
bionanotechnology, 92
biosensor, 22, 252
birefringence, 10, 11, 32, 33, 70, 214
 circular, 115
 linear, 144, 225, 247
bismuth, 3
bivector, 259
blueshift, 146, 200, 256–258
bombardment, 31, 40, 50, 51, 56, 58–60, 64,
 68, 69, 76, 87, 93, 95
 activated reactive, 57
 as a key element, 84, 93
 concurrent, 25, 38, 40, 43, 56, 59, 60, 62,
 66, 69, 76, 86
 controlled low-energy, 93
 ion, 6, 56, 70, 89
 variation of, 69
bombardment flux, 25, 54, 57, 63, 66, 69, 86,
 93
 directional, 51
bombardment flux energy, 57, 69, 83, 84, 86
Born, M., 144
Borrmann effect, 203
 circular, 203, 204
Borrmann, G., 203
Bose, J.C., 174
boundary conditions
 electromagnetic, 104, 134
boundary value problem, 132, 134, 187, 190
Bragg phenomenon, 174, 196, 197
 circular, 18–21, 174, 199, 222, 225, 232
 linear, 166
 saturation of, 201

- Bragg regime, 18, 19, 24, 222, 256, 257
 bandwidth of, 199, 232
 center wavelength of, 199
 circular energy transport in, 218
 shift of, 21, 200, 232, 248, 252, 256
- Bragg–Pippard formalism, 122
- broadband, 139, 232
- Bruggeman formalism, 17, 33, 114, 122, 234, 236, 238
- bundling, 10, 32, 36, 70, 85, 87, 94, 117
- C**
- calcite, 106, 124, 150, 245
- calcium fluoride, 3, 12
- capacitance, 17
- capacitor, 37
- carbides, 9, 37, 58, 62
- carbon, 3, 34
- carbon nanotube, 21
- cauliflower, 44
- cauliflowerlike morphology, *see* morphology,
 cauliflowerlike
- causality, 105, 208
- ceramics, 59
- charge conservation, 103
- charge density
 macroscopic, 102
 microscopic, 101
 source, 102
- chemical interactions, 76, 86
- chemical vapor deposition, 5, 56
- chevron, 2
- Child–Langmuir law, 65
- chiral STF, 12, 17, 18, 21, 22, 25, 87, 95, 118, 147, 154, 241
 AFM micrograph of, 95
 as periodic dielectric TFHBM, 15, 111, 175
 circular dichroisms of, 214
 deposition of, 51
 dye-doped, 252
 half-space, 219
 reflection by, 220, 221
 infiltration by liquid crystals, 21
 infiltration of, 225
 interlaced, 19
 linear dichroisms of, 214
 morphology of, 71, 175
 optical rotation by, 215
 optics of, 173
 polymeric, 257
 relative permittivity dyadic of, 175
 remittances of, 196–198, 200–204, 210, 211, 234, 248
 SEM micrograph of, 73, 88, 96, 110, 174
 slanted, 20, 92, 111
 structural period of, 15, 111
 tunability of, 257
 waves in, 16
 wet, 21
- chirp, 19, 74, 258
- chromium, 3, 93
- circuit
 electronic, 4, 17, 21
 optical, 4
- circular dichroism, 115, 116, 205, 212, 214
- circular polarization, 18, 21, 188
 filter, *see* filter, circular polarization
 left (LCP), 18, 19, 174
 right (RCP), 18, 19, 174
- cluster, 2, 4, 7, 9, 10, 14, 32, 33, 37, 38, 41, 42, 45, 77, 83, 85, 97, 111
- cluster of clusters, 40, 45
- clustering, 31, 32, 35, 37, 40–42, 74, 76, 80, 83, 86, 95
 elimination of, 87
 nanoscale, 31, 37, 40, 47
- coating, 39
 amorphous, 59
 antireflection, 28, 147
 architectural glass, 37
 decorative, 37, 63
 electrical, 36
 functional, 37
 hard, 37, 39, 63
 magnetic, 36
 nanocomposite, 59
 optical, 6, 28, 32, 36, 37, 39, 62
- co-evaporation, 166
- collimation, 51, 52, 54, 55, 57, 60, 62, 63, 65, 66
 electrostatic, 60
- collimator
 electrostatic, 53, 55, 62
 physical, 53, 55, 66
- collodion, 34
- column inclination angle, 6, 7, 11, 31, 38, 50, 77, 109, 117, 148, 175, 225
 local, 164, 165, 170, 248
- column vector, 10, 16, 127, 154, 177, 259
- columnar anisotropy, 10, 85, 87
- columnar expansion, 4, 6, 8, 13, 30, 41, 51, 56, 58, 59, 76, 84, 86–89
- columnar growth, 7, 31, 35, 50, 51, 84, 117
- columnar thin film (CTF), 4–7, 9, 10, 35, 37, 38, 48, 50, 68–70, 76, 84, 109, 110, 157, 176, 180
 AFM micrograph of, 71, 72, 94
 as a filter, 146
 as a wave plate, 20, 144
 bilayer, 146
 deposition of, 4, 6, 7, 50
 mass density of, 70
 multilayered, 145

- relative permittivity dyadic of, 11, 117, 125
- remittances of, 140, 141, 143, 144
- SEM micrograph of, 81, 85, 125, 152
- stresses in, 71
- waves in, 16
- columns
 - competition between, 4, 7, 10, 30, 31, 40, 50, 58, 76, 83, 86
 - elimination of, 6, 29
 - formation of, 38, 83
- complex conjugate, 217
- composite material, 33, 111
 - homogenization of, 111
 - STF-LC, 21
 - STF-nanotube, 21
- conscious engineering, 74, 86
- constitutive dyadic, 15, 107, 108, 111
 - effective, 112
 - noncausal, 107
 - reference, 15, 109, 233
- constitutive matrix, 113, 118
- constitutive relations, 10, 100, 105, 125, 153, 175, 245
 - dielectric, 105, 106
 - free-space, 105
 - linear, 14, 107
 - STF, 14, 109
- continuity equation, macroscopic, 102
 - reduced, 102
- continuum, 2, 4, 10, 78, 108
 - bianisotropic, 15
 - nonhomogeneous, 14, 17, 112, 122
- copper, 3, 83, 84
- Coulomb, C.A., 100
- coupled-wave methods, 16, 160, 161, 184, 199, 211, 246
- crystal, 144
 - negative, 150
 - positive, 150
- crystal classes, 124
- crystallinity, 3, 34, 35, 60
- crystallization, low-temperature, 58
- CTF, *see* columnar thin film
- curl, 260
- current density
 - macroscopic, 102
 - microscopic, 101
 - source, 102, 155, 178, 252, 253, 255, 256
- D**
 - decomposition, plasma-activated, 64
 - Demchishin, A.V., 29, 30, 38, 40
 - density anisotropy, *see* anisotropy, density
 - density deficit, 39, 70, 94
 - depolarization dyadic, 119
 - depolarization matrix, 114, 118
 - deposition, 84, 86
 - at equilibrium, 35
 - at glancing angle, 13
 - normal, 86, 89, 93, 94
 - oblique, 6, 7, 9, 31–33, 35, 36, 84, 86, 89, 94
 - deposition factors, 51, 86, 97
 - deposition method, best, 66
 - deposition methods, 51, 56
 - plasma-based, 37–39
 - deposition rate, 38, 58, 59, 62, 63, 66, 73, 87, 170
 - net, 65
 - determinant, 260
 - dichroism
 - apparent, 212
 - circular, *see* circular dichroism
 - linear, *see* linear dichroism
 - true, 212
 - diffusion, 29, 54–56, 80
 - chemical, 40
 - digital optics, 21
 - diode, light-emitting, 249
 - dipole, 252
 - Dirks, A.G., 38
 - dislocation, 68
 - dispersion, 18, 19, 24, 105, 139, 147, 169, 208, 242, 257
 - absence of, 105, 199, 233
 - displays, 17, 21
 - dissipation, 105, 134, 139, 145, 147, 169, 190, 202, 208, 217, 219, 244, 257
 - absence of, 105, 107, 199, 233
 - anisotropic, 203
 - divergence, 260
 - DNA, 252
 - Drude model, 208
 - Drude, P., 33
 - drug delivery, 115
 - dyad, 259, 260
 - dyadic, 10, 259, 260
 - antisymmetric, 260
 - constitutive, *see* constitutive dyadic
 - identity, 15, 259, 260
 - inverse of, 260
 - null, 15, 259, 260
 - rotation, 14, 15
 - trace of, 107, 260
- E**
 - economic feasibility, 55, 59
 - eigenvalue, 129, 184, 216
 - eigenvector, 129, 216
 - Einstein, A., 103
 - elastodynamics, 24
 - electric field, 61, 103, 252
 - electro-optic material, 245

electrochromic film, 23
 electroluminescence, 23
 electromagnetic field, 103
 electron confinement, 23
 electron diffraction, 34
 electron microscope, 34, 112
 scanning, 30, 34, 40, 42, 77, 87, 94
 transmission (TEM), 28, 40, 42, 74
 underfocused, 77
 electron microscopy, replica, 34
 electron penetration depth, 34
 electron-beam evaporation, *see* evaporation,
 e-beam
 electronic packaging, 23
 ellipsoid, 17, 33, 77, 112, 113
 shape dyadic of, 113
 shape factors of, 113
 ellipsometry, spectroscopic, 69
 elliptical polarization, 134, 189
 emission efficiency, 255, 256
 emitter, 252
 enantiomer, 115
 energy conservation, 134, 190
 equilibrium deposition, 35
 evaporation, 7, 14, 29, 37–39, 61, 63, 65, 66,
 73, 87, 89, 148, 225
 advantage of, 58
 arc, 63
 bombardment-enhanced, 56, 57, 61, 62,
 66
 cathodic arc, 63, 66
 disadvantages of, 58
 e-beam, 5, 50, 51, 57, 58, 62, 66, 69
 heated-filament, 57, 62
 ion-assisted, 65
 plasma-assisted, 62
 plasma-coupled, 61
 reactive, 37
 activated, 62
 source, distributed, 36
 thermal, 28, 56–58, 62, 70–72, 88, 93,
 97
 Ewald, P.P., 203
F
 Faraday, M., 28, 33, 100
 femtosecond pulse, 21, 222, 225
 ferrite, 260
 ferrofluid, 252
 field
 electromagnetic, 103
 induction, 100
 macroscopic, 102
 microscopic, 101
 primitive, 100
 field emission device, 21
 field ion microscope, 42, 74, 75
 field propagator, 179

filter, 17, 124, 147
 bandpass, 236, 245
 narrow, 239, 241–244, 249–251
 bandstop, 166, 170, 235–237
 ultranarrow, 243–245
 Bragg, 146, 147, 150, 166, 239
 circular polarization, 19, 24, 200, 232–
 234
 interference, 146
 particle, 63
 rugate, 20, 166, 169, 171, 239
 Šolc, 20, 147, 245
 fan, 246
 folded, 246
 spectral hole, 20, 239, 241–243
 as sensor, 21
 spacerless, 242–245
 FIM, *see* field ion microscope
 Floquet–Lyapunov theorem, 179, 197
 fluorides, 3
 Fourier representation, spatial, 16, 126, 153,
 176
 Fourier transform
 spatial, 77
 temporal, 104
 fractal, 4, 31, 38, 42, 45, 74, 76
 free space, 11, 105
 frequency, *see* angular frequency

G

García-Ruiz, J.M., 83
 gas-phase collisions, 51, 53–56, 59, 66
 gas-phase scattering, 54, 56, 58, 59, 66, 97
 Gauss, K.F., 100
 Gaussian distribution, 79
 genome, 252
 geometric shadowing, 86, 96
 anisotropy of, 86
 germanium, 3
 amorphous, 9, 44, 47, 69, 70, 75, 81,
 124, 125, 152
 crystalline, 69
 Ghatak, A., 144
 Gibbs, J.W., 259
 glancing angle, 9, 50
 glow discharge, 58, 62, 64
 grain boundary, 68
 graphite, pyrolytic, 4, 5, 44–46
 grating, 20
 Green function, 155, 178
 Grove, W., 28
 growth evolution, 8, 10, 13, 25, 40, 45, 51, 56,
 74, 76, 78, 85, 87
 ballistic aggregation models of, 81, 84,
 86, 87, 94, 98
 continuum models of, 80, 84
 geometric models of, 78, 79, 98

models of, 78
 molecular dynamics models of, 82, 86, 98
 growth exponent, 43, 77–80
 growth mechanics, 7
 computer simulation of, 30, 35, 38, 45, 76, 78
 gyrotropy, 15, 106, 108, 117, 260

H

Haanstra, H.B., 12, 31, 38
 hafnium oxide, 241
 Hall, E., 100
 Hamaguchi, S., 80, 84
 handedness, 145, 175
 inverter, 20, 237–240
 left, 18, 117
 right, 18, 117
 Heavens, O.S., 35
 Heaviside, O., 101
 helicoidal bianisotropic medium, 197
 thin-film, 13, 175
 helix, 2, 3, 73, 174
 Helwig, G., 29, 31, 35, 74
 Hertz, H., 100
 Hochstadt, H., 129
 Hodgkinson, I.J., 11, 145, 147
 Hoffman, R.W., 37
 Holland, L., 29, 31, 35
 hollow cathode, 57, 60, 61
 homogenization, 111, 112
 local, 17, 112
 Horn, M.W., 22, 25, 92
 Huygens, C., 124

I

Ibn Sahl, 126
 Iceland spar, 124
 ideal-gas laws, 54
 image analysis, 45, 77
 computer-aided, 77
 impedance, free-space, 133, 188
 Ince's equation, 160
 incidence
 normal, *see* normal incidence
 oblique, *see* oblique incidence
 index-matching layer, 200, 235, 239
 induction field, 100
 information storage, 36, 37
 infrared, 10, 107, 157, 185
 inorganic matter, 2
 integrated circuits, 55, 80
 interlayer dielectric, 17, 23
 ion, 51, 55, 58, 61, 63, 65, 69, 83, 86
 ion bombardment, 6, 9, 38, 46, 62
 ion plating, 57, 62, 63
 low-voltage, 57, 62
 reactive, 62

ion source, 55, 63–66
 cold-cathode, 65
 end-Hall, 65
 Kaufman, 63, 65, 69
 ion thruster, 63
 ion-assisted deposition, 65
 ion-beam deposition, primary, 57, 64
 ion-beam methods, 57, 63–66, 93
 ion-beam-assisted deposition, 57, 64–66, 69
 iron, 3
 isotropic chiral material, 115, 214
 isotropic chirality, 115, 116

K

König, H., 29, 31, 35, 74
 Kaufman ion source, 63, 65, 69
 Kowal, J., 12, 174, 215
 Kramers–Kronig relations, 105, 106, 208, 214
 Kundt, A., 4, 28, 32, 36, 124

L

Larmor, J., 101
 laser, 6, 17, 62, 252
 laser mirror, 19, 235
 LCP, *see* circular polarization, left
 Leamy, H.J., 38
 light pipe, 222, 224
 linear birefringence, *see* birefringence, linear
 linear dichroism, 205, 212, 214
 apparent, 213
 true, 213
 linear polarization, 133, 188
 liquid crystal, 4, 21, 177, 183, 244
 chiral, 174, 184, 197, 235
 nematic, 21, 152, 245, 252, 257
 periodically bent, 160
 lithography, 22, 92
 local homogenization, 17
 Lodder, C., 10, 85
 Lorentz invariance, 103
 Lorentz model, 208, 221
 Lorentz transformation, 103
 Lorentz, H.A., 101, 103
 Lorenz–Lorentz formula, 33
 Lorenz, L.V., 33
 loss factor, 203, 236
 low-permittivity barrier, 4, 23

M

Maclaurin series, 166, 182
 macroparticles, 63, 66
 macroscopic field, 102
 magnesium fluoride, 3, 70, 72, 84, 85, 89, 94
 magnetic field, 60, 63, 103, 252
 magneto-optics, 34, 111
 magnetoelectric dyadic, 107

- magnetoelectric properties, 15, 25, 107
 magnetostatic field, 36
 magnetron sputtering, *see* sputtering, magnetron
 mass density, average, 10, 69, 70, 71, 89, 93, 94
 material resonance, 11, 148
 Mathematica™, 128, 129
 Mathematica™ program, 120, 129, 135, 141, 157, 161, 167, 180, 185, 191, 205
 Matlab™, 128, 129, 180
 matrix
 diagonal, 129
 diagonalizable, 129, 216, 254
 exponential of, 128
 identity, 260
 null, 260
 matrix ordinary differential equation (MODE), 16, 124–127, 131, 132, 139, 145, 152, 153, 159, 160, 174, 176, 178, 216
 matrix polynomial, 16, 156, 182
 matrizant, 154, 155, 157, 177
 Mattox, D.M., 2, 28
 Mauguin, Ch., 183
 Mauguin solution, 183
 maximum speed, universal, 102
 maximum-bandwidth point, 226, 227
 Maxwell curl postulates, 103
 source-free, 16, 126, 153, 176
 Maxwell divergence postulates, 103
 Maxwell equations, 100
 Maxwell Garnett formalism, 33, 35, 122
 Maxwell postulates, 100, 103, 106
 macroscopic, 100, 102, 103
 time-harmonic, 104
 microscopic, 101
 Maxwell, J.C., 100
 mean free path, 54, 60
 medical drugs, 115
 melting point, 4, 9, 29
 metal, 3, 29, 39, 60
 metastable phase, 58
 microrefrigeration, 21
 microelectronics, 23
 micropatterning, 22, 204
 microphysics, 101
 microscale, 22
 microscopic field, 101
 microsieve, 23
 microstructure, 108
 microwaves, 17
 mirror, 32
 mirror asymmetry, 115
 MODE, *see* matrix ordinary differential equation
 moisture, 21, 24
 molar density, 248
 molar refractivity, 248
 molecular dynamics, 7, 70, 78
 molybdenum, 75
 Monte Carlo simulation, 54, 55
 morphological stability, *see* stability, morphological
 morphological transition, 92
 morphologically significant plane, 16, 131, 139, 145–147, 152, 159, 170
 morphology, 2, 4, 9, 13, 28, 34, 39, 44, 68, 100, 148, 152
 aggregated, 33
 anisotropic, 32–36, 71
 bent nematic, 12, 92, 110
 C-shaped, 2, 3, 13, 117, 118
 canonical, 92
 cauliflowerlike, 7, 8, 31, 39, 40, 42, 74, 76, 86
 chevronic, 2, 12, 13, 31, 46, 89, 92
 chiral, 12, 174, 175
 columnar, 2, 6, 13, 31, 35, 46, 48, 64, 76, 84, 87, 97, 125, 126, 165, 174
 computer simulation of, 78
 cone-shaped, 6, 31, 40, 43
 continuum of, 68, 74, 82
 evolution of, 31, 34, 40, 56, 74, 77, 78, 80, 86, 94
 fractal-like, 4, 45, 74, 76
 global, 14
 helicoidal, 12, 13, 24, 51, 71, 87, 92, 93, 110, 174
 isotropic, 35
 local, 14
 low-adatom-mobility, 40, 41, 44, 47, 58, 74, 76, 77, 93
 matchstick, 8, 9, 40, 44, 51, 56, 76, 83, 84, 87, 89, 92
 modification of, 61, 65
 nematic, 110, 170
 noncompetitive, 9
 quantification of, 45, 74, 76, 77
 S-shaped, 2, 3, 13, 118
 sculptured, 2, 165, 174
 shadowed-growth, 65
 SNTF, 13, 118, 152
 STF, 14, 68, 97
 surface, 8
 thick-film, 29, 30, 38
 top-surface, 30, 34, 38, 39, 42, 68, 74, 76, 82, 84, 94, 95
 transition in, 92
 zigzag, 3, 12, 13
 Zone 1, 8, 9, 29, 30, 39, 40, 45, 47, 58, 69, 74, 75, 82, 84, 86
 Zone 2, 9
 Zone 3, 9

- Zone M, 8, 9, 25, 44, 47, 56, 59, 75, 80, 82, 84, 86, 87
 - basis of, 76
 - Zone T, 9, 30, 39, 40, 43, 47, 56, 59, 62, 65, 70, 75, 76, 82, 84, 86
 - basis of, 76
 - Mossotti–Clausius formula, 33
 - Mossotti, O.F., 33
 - Motohiro, T., 12, 32, 145
 - Movchan, B.A., 29, 30, 38, 40
 - multiscale model, 112
- N**
- nanocrystal, 37
 - nanocrystallinity, 24
 - nanodomain, 25
 - nanoparticle, 60
 - nanoscale, 2, 13, 22, 40, 77, 80
 - nanosieve, 23
 - nanostucture, 2, 17, 23, 111
 - nanotechnology, 2
 - nanotube, 21
 - nanowire, 6, 50, 51, 56, 92, 93, 96
 - nanowires, disordered, 83
 - narrowband, 232
 - near-field microscopy, 204
 - nickel, 75
 - Nieuwenhuizen, J.M., 12, 31, 38
 - nitrides, 37, 58, 62
 - nitrogen, 59
 - Nityananda, R., 203
 - nominal model, 17, 112, 118, 120
 - nonaxial propagation, *see* propagation, nonaxial
 - nonhomogeneity, 105, 106, 166, 174
 - axis of, 160, 174, 220
 - periodic, 165, 174, 175, 197
 - nonlinear optics, 24
 - normal deposition, *see* deposition, normal
 - normal incidence, 18, 19, 139, 160, 167, 232
 - notation, 10, 101, 105, 259
 - nucleation, 4, 13, 59, 74
- O**
- oblique deposition, *see* deposition, oblique
 - oblique incidence, 19, 132, 161, 187
 - optical activity, 12, 17, 174
 - optical emitter, 252
 - optical fiber communication, 239, 245
 - optical interconnect, 21
 - optical microscope, 29, 34, 40
 - optical pulse, 21, 222
 - optical rotation, 115, 116, 174, 212, 214, 215
 - orthorhombic, 10, 11, 124, 144, 208
 - Oseen, C.W., 177
 - Oseen transformation, 177, 180
 - oxides, 3, 9, 11, 18, 23, 24, 29, 37, 39, 58, 62, 63, 148–150, 174, 215, 225–227, 233, 234, 240, 241, 243
 - oxygen, 59, 82
- P**
- particle filter
 - Aksenov, 63
 - Fallabella, 63
 - magnetic, 63, 66
 - parylene, 3, 25
 - passband, 20, 236
 - permalloy, 36
 - permeability, 11, 101
 - permeability dyadic
 - relative, 106
 - reference, 15
 - permittivity, 11, 33, 101
 - models for, 33, 208
 - quasistatic, 23
 - relative, 105
 - permittivity dyadic
 - reference, 117
 - relative, 11, 106, 175
 - reference, 15, 125, 153
 - perturbational methods, 160, 161, 183
 - phase defect, 20
 - phase-matching conditions, 126
 - phasor, 16, 104, 126, 153, 176
 - photocatalysis, 24
 - photonic bandgap engineering, 22, 93, 257
 - photonic crystal, 23
 - physical vapor deposition (PVD), 2, 4, 5, 9, 11, 25, 28, 50, 56, 57, 68, 152, 171, 174
 - piecewise uniform approximation, 157, 161, 165, 183, 184
 - piezoelectricity, 17
 - planar technology, 17, 19, 21, 139
 - plane wave, 18, 132, 133, 145, 174, 187–189
 - evanescent, 133, 176, 188
 - plasma, 5, 38, 51, 55, 58–61, 63, 65, 260
 - plasma frequency, 208
 - platinum, 3
 - Poincaré, H., 103
 - point defect, 68
 - polarizability density dyadic, 119
 - polarizability density matrix, 114, 118
 - polarization engineering, 4, 233, 235, 237
 - polarizer, 147
 - polymer, 3, 23, 24, 34, 258
 - porosity, 17, 21–24, 71, 112, 170, 247, 249, 252, 257
 - refrigeration due to, 21
 - Post constraint, 107
 - power law, 7, 8, 42, 77, 78, 82, 96
 - power spectral density (PSD), 76, 78
 - Poynting vector, 217

primitive field, 100
propagation
 axial, 16, 160, 176–178, 180, 199, 216
 nonaxial, 16, 176, 182
PSD, *see* power spectral density
pseudoisotropic point, 225, 226, 256
pseudoisotropy, 148, 150, 225, 240
pulse bleeding, 21, 222, 225
pulse shaping, 21
pulsed laser deposition, 56, 63
PVD, *see* physical vapor deposition
pyrolytic graphite, *see* graphite, pyrolytic

Q
quantum mechanics, 101, 208
quartz, 150, 245
quasistatic, 17, 23, 252

R
rare earth, 252
ray, extraordinary, 124
ray, ordinary, 124
Rayleigh–Wood anomaly, 20
RCP, *see* circular polarization, right
reactive evaporation, *see* evaporation, reactive
reactive gas, 60
reactive sputtering, *see* sputtering, reactive
reactor, biological, 252
reactor, chemical, 252
reciprocity, 107
redeposition, 80, 82, 84
redshift, 21, 146, 248, 249, 257
reduced temperature, 9, 38, 69, 86, 95
reference plane, 109, 113, 126
reflectance, 19, 35, 134, 190, 197, 220, 221
reflection, 132, 135, 141, 157, 161, 187, 191, 205
 coefficient, 134, 135, 189, 191
 selective, 199, 202
refractive index
 complex, 105
 extraordinary, 132, 140, 150
 ordinary, 131, 160
relaxation frequency, 208
remittance, 24, 134, 136, 140–142, 144, 161, 163, 169, 191, 193, 194, 196, 198, 200–203, 205–207, 210, 211, 234, 257
replamineform, 257
replica electron microscopy, 34
resistor, 37
resonance frequency, 208
resputtering, 65, 66, 80, 82, 84, 86, 89
resputtering flux, 65
Rossnagel, S.M., 80, 84
rotation dyadic, 15, 108, 112, 117, 175
 elementary, 15, 108
Roy, R.A., 83

S

SAES, *see* small-angle electron scattering
Scott, G.D., 35
sculptured nematic thin film (SNTF), 13, 31, 117, 152
 as a filter, 166
 C-shaped, 117, 118, 160, 166
 canonical, 152, 170
 noncanonical, 170
 optics of, 151
 relative permittivity dyadic of, 117, 153
 remittances of, 164, 165
 S-shaped, 118
 SEM micrograph of, 89, 110, 152
 single-section, 16
sculptured thin film (STF), 12, 37
 as biosubstrate, 23
 bianisotropic, 25, 115
 canonical, 13, 92, 152
 constitutive relations, 108
 deposition factors for, 51
 deposition of, 51, 52, 54, 55, 57, 62, 63, 65, 86
 dielectric, 15, 116
 emergence of concept of, 12
 helical, 110
 infiltration by chiral fluid, 115
 infiltration by ferrofluid, 252
 infiltration by liquid crystal, 252, 257
 infiltration by nanotubes, 21
 infiltration by polymer, 24, 257
 infiltration of, 248
 manufacture of, 25
 mechanical loading of, 24
 multisection, 15, 20, 111, 145, 235, 236
 negative, 257
 polymeric, 25, 257, 258
 positive, 257
 SEM micrograph of, 3, 89, 92, 93, 97
 single-section, 14, 15, 108, 109, 111
 waves in, 15
 weakly anisotropic, 16
second-harmonic generation, 24
self-shadowing, 7, 9–11, 29, 32–37, 41, 70, 71, 82, 93
 anisotropic, 87, 89, 94, 95
 atomic-level, 31, 35, 37, 38, 74, 76, 81, 85, 86, 89
 dynamic, 90, 93
 isotropic, 87, 88
 static, 90
self-shadowing distance, 96
SEM, *see* electron microscope, scanning
semiconductor, 3, 31
semiconductor technology, 37
semiconductor thin film, 37

- Sennett, R.S., 35
- sensor, 17, 226, 247
 - bioluminescence, 22, 252
 - electric-field, 252
 - fluid, 21, 251
 - optical, 4, 248–251
 - genomic, 252
 - humidity, 17, 251
 - magnetic-field, 252
 - pressure, 251
 - temperature, 251
- serial bideposition, 11, 89, 215, 235
- shape dyadic, 113, 114
- shock-tracking algorithm, 80
- sieve, 23
- Silcox, J., 77
- silica, nanoporous, 23
- silicon, 3, 70
- silicon, amorphous, 4–6, 9, 43, 44
- silicon carbide, 9, 46, 80
- silicon dioxide, 3, 23
- silicon oxide, 3, 22, 71, 73, 88, 92, 93, 95–97, 110, 174
- silver, 77
- small-angle electron scattering (SAES), 77
- Smith, D.O., 36
- Snel, W., 126
- SNTF, *see* sculptured nematic thin film
- solar cell, 4
- solid solution, 58
- source density, 100
 - charge, 102
 - current, 102, 155, 178, 252, 253, 255, 256
- source, finite-sized, 204
- spacetime, 103
- spatial frequency, 78
- spectral hole
 - reflection, 20
 - transmission, 20
- spluttering, 28
- sputtering, 5–7, 9, 14, 28, 30, 32, 38, 39, 50, 54, 56–59, 63, 66, 93
 - advantages of, 59
 - collimated, 55
 - definition of, 58
 - diode, 57
 - direct-current, 37, 39, 57, 62
 - magnetron, 57, 62
 - disadvantages of, 59
 - dual ion-beam, 57, 64
 - enhanced magnetron, 57, 60, 61, 66
 - glow-discharge, 64, 65
 - ion-beam, 57, 64
 - local, 58
 - low-energy, 51
 - magnetron, 39, 54, 57, 60, 61, 82
 - unbalanced, 57, 61
 - momentum-transfer in, 59
 - radio-frequency, 37, 41–43, 46, 47, 57, 75
 - reactive, 59, 88
 - triode, 57, 60
- sputtering energy, 58
- sputtering gas pressure, 31, 39, 41, 46, 47, 69, 77
- sputtering plasma pressure, 39
- sputtering target, 55, 58, 60, 63, 66
- sputtering threshold, 46, 56, 83
- sputtering yield, 83, 84
- stability
 - environmental, 24, 40
 - mechanical, 24
 - morphological, 24
- STF, *see* sculptured thin film
- STF–LC composite, 21
- STF–nanotube composite, 21
- sticking coefficient, 7
- Stoney, G.J., 101
- stopband, 171, 232, 236, 239
- stress, 33, 36, 58, 71
 - compressive, 40
 - internal, 24, 71, 72
 - tensile, 39, 70, 71
- structural handedness, 18, 20, 22, 88, 119, 174, 222
 - parameter, 117, 175
- structural period, 118, 119, 166, 174, 175
- structure zone model (SZM), 8, 9, 29–31, 38, 39, 41, 68, 82, 83, 86
 - evolutionary, 31, 40, 41, 45, 48
 - quantitative, 74
 - nature of, 69
- structure zones, 29
- structure–property relationships, 17, 68, 76, 93, 112
 - nominal model for, 17, 112
- substrate
 - diameter, 53, 55
 - large-area, 93
 - nonplanar, 90
 - patterning of, 22, 23, 80
 - polymeric, 23
 - topographic, 92, 93, 96, 97
- substrate rotation, 12–14, 23, 24, 50, 55, 71–73, 88, 111, 152, 170, 174, 225
- substrate temperature, 29, 37, 50, 69, 86
- substrate tilt, 52–55, 66
- substrates, cascaded, 53, 55, 61, 66
- superconductor, 63
- superhelix, 2, 3, 13
- surface roughness, 34, 65, 72, 74, 76–78, 80, 96

surface tension, 81
 Suzuki, M., 20
 switch, 4, 226
 SZM, *see* structure zone model

T

Taga, Y., 12, 20, 32, 145
 tangent, 108
 tangent rule, 32, 38, 50
 tantalum oxide, 3, 11, 24, 148, 150, 225, 226
 Taylor series, 156
 teflon, 3
 TEM, *see* electron microscope, transmission tensor, 259
 TFHBM, *see* thin-film helicoidal bianisotropic medium
 thermal barrier, 23
 thermal evaporation, *see* evaporation, thermal thin film
 chiral, *see* chiral STF
 columnar, *see* columnar thin film
 dense, 6
 magnetic, 10, 34, 85
 sculptured, *see* sculptured thin film
 sculptured nematic, *see* sculptured nematic thin film
 thin-film helicoidal bianisotropic medium (TFHBM), 13, 175
 Thomson, J.J., 101
 Thornton, J.A., 9, 30, 39, 40
 time domain, 21
 titanium, 3, 54
 titanium oxide, 3, 11, 18, 148, 150, 215, 225–227, 233, 234, 240, 241, 243
 trace, 107, 260
 transfer matrix, 128, 155, 157, 179, 180, 184, 185, 202, 233, 235, 238, 240, 246
 transmission, 12, 132, 135, 141, 146, 157, 161, 187, 191, 205
 coefficient, 134, 135, 189, 191
 transmittance, 18, 35, 134, 143, 147, 164, 165, 190, 240, 243, 247
 transpose, 15, 107, 259
 transverse architectures, 22, 92, 93
 transverse homogeneity, 4, 15, 23
 piecewise, 22, 93
 trona, 125
 tunability, 17, 200, 232, 257
 piezoelectric, 17, 257
 quasielectrostatic, 257
 tungsten, 3
 tungsten oxide, 9, 75, 82

U
 ulexite, 124–126
 ultrashort pulse, 21, 222
 ultrasonics, 24
 ultraviolet, 107

uniaxiality, 11, 108
 local, 117
 unit vector
 binormal, 109
 normal, 109
 tangent, 109
 universal maximum speed, 102

V

vacuum, classical, *see* free space
 vacuum coating technology, history of, 2
 van Kranenburg, H., 10, 85
 vapor flux, 2, 6, 10, 11, 25, 50, 51, 54–58, 60, 63, 65, 66, 69, 71, 85–87, 89, 93, 94, 170, 174
 blockage of, 54
 collimated, 51, 52, 54–56, 59, 60, 66
 decrease of, 55
 directional, 51, 56
 distribution of, 51, 52
 scattering of, 54
 sputtered, 58
 vapor flux density, 71
 vapor flux energy, 57, 87
 vapor incidence angle, 6, 7, 11, 24, 31, 50, 70, 71, 81, 86, 88, 95, 96, 111, 148, 170, 225, 226
 average, 51–53
 distribution of, 51–53
 extent of, 51
 variation of, 70
 vapor incidence plane, 10, 50, 70, 85, 89, 94, 131, 152
 vapor source, 50–52, 55, 58, 62, 66
 distributed, 52, 53, 59
 planar, 52, 53, 55, 59
 point, 51–54, 58, 66
 vibration ellipse, 145, 219
 virus traps, 23
 void, 12, 17, 30, 31, 38, 41, 58, 68, 70, 80, 112, 113, 247
 volume fraction, 112, 122
 void network, 4, 7, 30, 31, 38–42, 68, 74, 76, 87, 94
 absence of, 70
 honeycomblike, 7, 30, 38, 77
 void-network surfaces, 76, 93
 Voigt wave, 217, 253

W
 Wade, R.H., 77
 water, adsorption of, 40
 wave plate, 12, 124
 half, 20, 145, 238
 quarter, 144
 wavenumber
 free-space, 126
 transverse, 15, 126, 133, 153, 176, 188

Wiener formalism, 33
Wolf, E., 144
Wright, A.W., 32
Wu, Q.-h., 11, 145, 147

Y

Yehoda, J.E., 77
Young, N.O., 12, 174, 215

Z

zirconium oxide, 3, 11, 148, 150, 225, 226
Zone 1, *see* morphology, Zone 1
Zone 2, *see* morphology, Zone 2
Zone 3, *see* morphology, Zone 3
Zone M, *see* morphology, Zone M
Zone T, *see* morphology, Zone T



Akhlesh Lakhtakia is a Distinguished Professor of Engineering Science and Mechanics at the Pennsylvania State University. He received his B.Tech. degree in Electronics Engineering from Banaras Hindu University, and his M.S. and Ph.D. degrees in Electrical Engineering from the University of Utah. He has published more than 480 journal articles; contributed chapters to 12 research books and encyclopedias; edited, co-edited, authored or co-authored 11 books and six conference proceedings; and reviewed for 80 journals. He was also the Editor-in-Chief of the international journal *Speculations in Science and Technology* from 1993 to 1995. He headed the IEEE EMC Technical Committee on Nonsinusoidal Fields from 1992 to 1994, and served as the 1995 Scottish Amicable Visiting Lecturer at the University of Glasgow. In 2004, he was appointed to a three-year term as Visiting Professor of Physics at Imperial College, London. He is a Fellow of the Optical Society of America, SPIE, and the Institute of Physics (UK). He was awarded the PSES Outstanding Research Award in 1996. Since 1999, he has organized six SPIE conferences on nanostructured materials and complex mediums. His current research interests lie in the electromagnetics of complex mediums and sculptured thin films.



Russell Messier is a Professor of Engineering Science and Mechanics at the Pennsylvania State University. He received his B.S. degree in Electrical Engineering from Northeastern University and his Ph.D. degree in Solid State Science from the Pennsylvania State University. His doctoral research was on one of the first commercial radio-frequency sputtering systems. He has worked in the area of vapor deposition for 40 years. He has published over 200 papers, holds seven U.S. patents, edited three books, is the Founding Editor of the international journal *Diamond and Related Materials*, and is a Fellow of the American Vacuum Society. The Institute of Scientific Information, Philadelphia, has identified him as a Highly Cited Researcher. His interest in thin-film morphology has extended over much of his research career. His current interests are in the application of thin-film morphology fundamentals to sculptured thin films, hard coatings, sensor coatings, and biomaterials.