

PROCEEDINGS OF SPIE

Novel In-Plane Semiconductor Lasers XII

Alexey A. Belyanin

Peter M. Smowton

Editors

4–7 February 2013

San Francisco, California, United States

Sponsored and Published by
SPIE

Volume 8640

Proceedings of SPIE 0277-786X, V. 8640

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Novel In-Plane Semiconductor Lasers XII, edited by Alexey A. Belyanin, Peter M. Smowton,
Proc. of SPIE Vol. 8640, 864001 · © 2013 SPIE · CCC code: 0277-786X/13/\$18 · doi: 10.1117/12.2021932

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Novel In-Plane Semiconductor Lasers XII*, edited by Alexey A. Belyanin, Peter M. Smowton, Proceedings of SPIE Vol. 8640 (SPIE, Bellingham, WA, 2013) Article CID Number.

ISSN: 0277-786X
ISBN: 9780819494092

Published by
SPIE
P.O. Box 10, Bellingham, Washington 98227-0010 USA
Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445
SPIE.org

Copyright © 2013, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/13/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



SPIEDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

Contents

- ix Conference Committee
- xii Group IV photonics for the mid infrared (Plenary Paper) [8629-1]
R. Soref, The Univ. of Massachusetts at Boston (United States)
- xxvii Light in a twist: optical angular momentum (Plenary Paper) [8637-2]
M. J. Padgett, Univ. of Glasgow (United Kingdom)

COMMS: MATERIALS TO INTEGRATION

- 8640 04 High modal gain 1.5 μm InP based quantum dot lasers: dependence of static properties on the active layer design [8640-2]
V. Sichkovskyi, V. Ivanov, J. P. Reithmaier, Univ. Kassel (Germany)
- 8640 05 Effect of optical waveguiding mechanism on the lasing action of chirped InAs/AlGInAs/InP quantum dash lasers [8640-4]
M. Z. M. Khan, T. K. Ng, King Abdullah Univ. of Science and Technology (Saudi Arabia); C.-S. Lee, P. Bhattacharya, Univ. of Michigan (United States); B. S. Ooi, King Abdullah Univ. of Science and Technology (Saudi Arabia)

DFBS AND DBRS

- 8640 08 Monolithic wide tunable laser diodes for gas sensing at 2100 nm [8640-7]
N. Koslowski , A. Heger, K. Roessner, M. Legge, L. Hildebrandt, J. Koeth, nanoplus Nanosystems and Technologies GmbH (Germany)
- 8640 09 Narrow-linewidth three-electrode regrowth-free semiconductor DFB lasers with uniform surface grating [8640-8]
K. Dridi, A. Benhsaien, A. Akrout, Univ. of Ottawa (Canada); J. Zhang, CMC Microsystems (Canada); T. Hall, Univ. of Ottawa (Canada)
- 8640 0A Sub-MHz linewidth of 633 nm diode lasers with internal surface DBR gratings [8640-9]
D. Feise, G. Blume, J. Pohl, B. Sumpf, Ferdinand-Braun-Institut (Germany); H. Thiem, M. Reggentin, J. Wiedmann, Eagleyard Photonics GmbH (Germany); K. Paschke, Ferdinand-Braun-Institut (Germany)

RED, GREEN, BLUE

- 8640 0D 654 nm broad area lasers for QCW operation with a maximal facet load of 76 mW/ μm [8640-12]
B. Sumpf, M. Pohl, W. Pittroff, R. Staske, G. Erbert, G. Tränkle, Ferdinand-Braun-Institut (Germany)

- 8640 0E **Highly reliable operation of 638-nm broad stripe laser diode with high wall-plug efficiency for display applications** [8640-13]
T. Yagi, N. Shimada, T. Nishida, H. Mitsuyama, M. Miyashita, Mitsubishi Electric Corp. (Japan)
- 8640 0F **Continuous-wave operation of green/yellow laser diodes based on BeZnCdSe quantum wells (Invited Paper)** [8640-14]
R. Akimoto, T. Hasama, H. Ishikawa, National Institute of Advanced Industrial Science and Technology (Japan); J. Kasai, S. Fujisaki, S. Tanaka, S. Tsuji, Hitachi Ltd. (Japan)
- 8640 0G **Power blue and green laser diodes and their applications (Invited Paper)** [8640-15]
T. Hager, U. Strauß, C. Eichler, C. Vierheilig, S. Tautz, G. Brüderl, B. Stojetz, T. Wurm, A. Avramescu, A. Somers, J. Ristic, S. Gerhard, A. Lell, S. Morgott, OSRAM Opto Semiconductors GmbH (Germany); O. Mehl, OSRAM GmbH (Germany)

NITRIDES

- 8640 0H **Passive mode-locking in the cavity of monolithic GaN-based multi-section laser diodes** [8640-16]
T. Weig, Fraunhofer Institute for Applied Solid State Physics (Germany); U. T. Schwarz, Fraunhofer Institute for Applied Solid State Physics (Germany) and Univ. of Freiburg (Germany); L. Sulmoni, J.-M. Lamy, J.-F. Carlin , N. Grandjean, Ecole Polytechnique Fédérale de Lausanne (Switzerland); D. Boiko, Ctr. Suisse d'Electronique et de Microtechnique (Switzerland)
- 8640 0J **InGa/GaN quantum dot blue and green lasers (Invited Paper)** [8640-18]
P. Bhattacharya, A. Banerjee, T. Frost, Univ. of Michigan (United States)

MID-IR LASERS AND OPTICS

- 8640 0Q **Recent progress in development of InAs-based interband cascade lasers (Invited Paper)** [8640-25]
R. Q. Yang, L. Li, L. Zhao, Y. Jiang, Z. Tian, H. Ye, R. T. Hinkey, C. Niu, T. D. Mishima, M. B. Santos, J. C. Keay, M. B. Johnson, The Univ. of Oklahoma (United States); K. Mansour, Jet Propulsion Lab. (United States)
- 8640 0R **Extremely temperature insensitive continuous-wave broadband quantum cascade lasers** [8640-26]
K. Fujita, M. Yamanishi, S. Furuta, T. Dougakiuchi, A. Sugiyama, T. Edamura, Hamamatsu Photonics K.K. (Japan)

SILICON BASED LASERS

- 8640 0U **Optimization of the hybrid silicon photonic integrated circuit platform (Invited Paper)** [8640-29]
M. J. R. Heck, M. L. Davenport, S. Srinivasan, J. Hulme, J. E. Bowers, Univ. of California, Santa Barbara (United States)

MICROCAVITY AND PHOTONIC CRYSTAL

- 8640 0Y **Electrical injection schemes for nanolasers** [8640-34]
A. Lupi, I.-S. Chung, K. Yvind, Technical Univ. of Denmark (Denmark)
- 8640 0Z **Towards a photonic crystal mode-locked laser** [8640-35]
K. Leedle, A. Janjua, S. Paik, M. J. Schnitzer, J. S. Harris, Stanford Univ. (United States)

THZ QCLS

- 8640 14 **THz quantum cascade lasers for operation above cryogenic temperatures (Invited Paper)**
[8640-40]
M. A. Belkin, K. Vijayraghavan, The Univ. of Texas at Austin (United States); A. Vizbaras, Technische Univ. München (Germany); and Brolis Semiconductors Ltd. (Lithuania); A. Jiang, The Univ. of Texas at Austin (United States); F. Demmerle, G. Boehm, R. Meyer, M.-C. Amann, A. Matyas, R. Chashmahcharagh, P. Lugli, C. Jirauschek, Technische Univ. München (Germany); Z. R. Wasilewski, Univ. of Waterloo (Canada)

LONG-WAVELENGTH MID-IR AND THZ QCLS

- 8640 15 **Long-wavelength ($\lambda \approx 12\text{-}16\text{ }\mu\text{m}$) and cascaded transition quantum cascade lasers (Invited Paper)** [8640-41]
X. Huang, Y. Chiu, J. L. Zhang, Princeton Univ. (United States); W. O. Charles, Princeton Univ. (United States) and Phononic Devices, Inc. (United States); V. E. Tokranov, S. Oktyabrsky, Univ. at Albany, SUNY (United States); C. F. Gmachl, Princeton Univ. (United States)
- 8640 16 **Room temperature continuous wave operation of long wavelength (9-11 μm) distributed feedback quantum cascade lasers for glucose detection** [8640-42]
F. Xie, C. Caneau, H. P. LeBlanc, S. Coleman, M.-T. Ho, L. C. Hughes, C. Zah, Corning Inc. (United States)
- 8640 18 **Towards nanowire-based terahertz quantum cascade lasers: prospects and technological challenges** [8640-44]
M. Krall, M. Brandstetter, C. Deutsch, H. Detz, T. Zederbauer, A. M. Andrews, W. Schrenk, G. Strasser, K. Unterrainer, Technische Univ. Wien (Austria)

HIGH-POWER AND TUNABLE QCLS

- 8640 19 **Multiwatt long wavelength quantum cascade lasers based on high strain composition with 70% injection efficiency** [8640-45]
A. Lyakh, R. Maulini, A. G. Tsekoun, R. Go, C. K. N. Patel, Pranalytica, Inc. (United States)
- 8640 1E **Single-mode quantum cascade lasers with asymmetric Mach-Zehnder interferometer type Fabry-Perot cavity** [8640-50]
P. Q. Liu, Princeton Univ. (United States); X. Wang, AdTech Optics, Inc. (United States); C. F. Gmachl, Princeton Univ. (United States)

HIGH POWER I

- 8640 1F **Analysis of bulk and facet failures in AlGaAs-based high-power diode lasers (Invited Paper) [8640-51]**
J. W. Tomm, M. Hempel, Max-Born-Institut für Nichtlineare Optik und Kurzzeitspektroskopie (Germany); F. La Mattina, EMPA (Switzerland); F. M. Kießling, Leibniz-Institut für Kristallzüchtung (Germany); T. Elsaesser, Max-Born-Institut für Nichtlineare Optik und Kurzzeitspektroskopie (Germany)
- 8640 1G **Catastrophic degradation in high-power InGaAs-AlGaAs strained quantum well lasers and InAs-GaAs quantum dot lasers [8640-52]**
Y. Sin, S. LaLumondiere, B. Foran, N. Ives, N. Presser, W. Lotshaw, S. C. Moss, The Aerospace Corp. (United States)
- 8640 1H **Comparison of catastrophic optical damage in InP/(Al)GaInP quantum dot and quantum well diode lasers [8640-53]**
S. N. Elliott, Cardiff Univ. (United Kingdom); M. Hempel, Max-Born-Institut für Nichtlineare Optik und Kurzzeitspektroskopie (Germany); S. Shutts, Cardiff Univ. (United Kingdom); U. Zeimer, Ferdinand-Braun-Institut (Germany); P. M. Smowton, Cardiff Univ. (United Kingdom); J. W. Tomm, Max-Born-Institut für Nichtlineare Optik und Kurzzeitspektroskopie (Germany)
- 8640 1I **Multi-spectral investigation of bulk and facet failures in high-power single emitters at 980 nm (Invited Paper) [8640-54]**
D. Yanson, M. Levy, M. Shamay, S. Cohen, L. Shkedy, Y. Berk, R. Tessler, G. Klumel, N. Rappaport, Y. Karni, SCD Semiconductor Devices (Israel)
- 8640 1J **1120nm highly brilliant laser sources for SHG-modules in bio-analytics and spectroscopy [8640-55]**
K. Paschke, C. Fiebig, G. Blume, F. Bugge, J. Fricke, G. Erbert, Ferdinand-Braun-Institut (Germany)

HIGH POWER II

- 8640 1L **76% efficient cryogenically-cooled eyesafe diode laser for resonant pumping of Er-doped gain media [8640-57]**
Z. Chen, W. Dong, X. Guan, S. Elim, S. Zhang, M. Grimshaw, M. Devito, P. Leisher, M. Kanskar, nLIGHT Corp. (United States)
- 8640 1M **Dynamic response of a monolithic master-oscillator power-amplifier at 1.5 μm [8640-59]**
P. Adamiec, B. Bonilla, A. Consoli, J. M. G. Tijero, S. Aguilera, I. Esquivias, M. Vilera, Univ. Politécnica de Madrid (Spain); J. Javaloyes, Univ. de les Illes Balears (Spain); S. Balle, Institut Mediterrani d'Estudis Avançats (Spain)
- 8640 1N **Dynamics of high power gain switched DFB RW laser under high current pulse excitation on a nanosecond time scale [8640-60]**
A. Klehr, S. Schwertfeger, H. Wenzel, T. Hoffmann, A. Liero, R. Staske, O. Brox, G. Erbert, G. Tränkle, Ferdinand-Braun-Institut (Germany)

SHORT-WAVELENGTH MID-IR QCLS AND DIODE LASERS

- 8640 1P **High-power diode lasers between 1.8 μ m and 3.0 μ m** [8640-62]
S. Hilzensauer, J. Gilly, P. Friedmann, m2k-laser GmbH (Germany); M. Werner, M. Traub, Fraunhofer Institute for Laser Technology (Germany); S. Patterson, DILAS Diode Laser Inc. (United States); J. Neukum, DILAS Diode Laser GmbH (Germany); M. T. Kelemen, m2k-laser GmbH (Germany)
- 8640 1S **Analysis of thermally activated leakage current in a low-threshold-current quantum-cascade laser emitting at 3.9 μ m** [8640-65]
Y. V. Flores, G. Monastyrsky, M. Elagin, M. P. Semtsiv, W. T. Masselink, Humboldt-Univ. zu Berlin (Germany)

POSTER SESSION

- 8640 1U **980-nm external-cavity passively mode-locked laser with extremely narrow RF linewidth** [8640-67]
Y. Ding, Univ. of Dundee (United Kingdom) and State Key Lab. on Integrated Optoelectronics (China); W. Ji, J. Chen, S. Zhang, X. Wang, Beijing Univ. of Technology (China); H. Wang, H. Ni, J. Pan, Institute of Semiconductors (China); B. Cui, Beijing Univ. of Technology (China); M. A. Cataluna, Univ. of Dundee (United Kingdom)
- 8640 1V **Transverse mode control in quantum cascade lasers via lossy lateral constrictions** [8640-68]
P. M. Bouzi, P. Q. Liu, N. Aung, Princeton Univ. (United States); X. Wang, J.-Y. Fan, M. Troccoli, AdTech Optics, Inc. (United States); C. F. Gmachl, Princeton Univ. (United States)

Author Index

Conference Committee

Symposium Chair

David L. Andrews, University of East Anglia Norwich (United Kingdom)

Symposium Cochairs

Alexei L. Glebov, OptiGrate Corporation (United States)
Klaus P. Streubel, OSRAM GmbH (Germany)

Program Track Chair

Klaus P. Streubel, OSRAM GmbH (Germany)

Conference Chairs

Alexey A. Belyanin, Texas A&M University (United States)
Peter M. Smowton, Cardiff University (United Kingdom)

Conference Program Committee

Yasuhiko Arakawa, The University of Tokyo (Japan)
Dan Botez, University of Wisconsin-Madison (United States)
Federico Capasso, Harvard School of Engineering and Applied Sciences (United States)
Gary A. Evans, Southern Methodist University (United States)
Claire F. Gmachl, Princeton University (United States)
Michael Kneissl, Technische Universität Berlin (Germany)
Hui Chun Liu, Shanghai Jiao Tong University (China)
Luke J. Mawst, University of Wisconsin-Madison (United States)
Jerry R. Meyer, U.S. Naval Research Laboratory (United States)
Richard V. Penty, University of Cambridge (United Kingdom)
Johann Peter Reithmaier, Universität Kassel (Germany)
Haisheng Rong, Intel Corporation (United States)
Nelson Tansu, Lehigh University (United States)
Shinji Tsuji, Hitachi, Ltd. (Japan)
Kresten Yvind, Technical University of Denmark (Denmark)

Session Chairs

- 1 Comms: Materials to Integration
Nelson Tansu, Lehigh University (United States)

- 2 DFBs and DBRs
Johann Peter Reithmaier, Universität Kassel (Germany)
- 3 Red, Green, Blue
Peter M. Smowton, Cardiff University (United Kingdom)
- 4 Nitrides
Michael Kneissl, Technische Universität Berlin (Germany)
- 5 Mid-IR QCLs
Alexey A. Belyanin, Texas A&M University (United States)
- 6 Mid-IR Lasers and Optics
Jerry R. Meyer, U.S. Naval Research Laboratory (United States)
- 7 Silicon Based Lasers
Haisheng Rong, Intel Corporation (United States)
- 8 Microcavity and Photonic Crystal
Weng W. Chow, Sandia National Laboratories (United States)
- 9 THz QCLs
Jérôme Faist, ETH Zürich (Switzerland)
- 10 Long-Wavelength Mid-IR and THz QCLs
Mikhail A. Belkin, The University of Texas at Austin (United States)
- 11 High-Power and Tunable QCLs
Pietro Malara, Istituto Nazionale di Ottica (Italy)
- 12 High Power I
Gary A. Evans, Southern Methodist University (United States)
- 13 High Power II
Paul Crump, Ferdinand-Braun-Institut (Germany)
- 14 Short-Wavelength Mid-IR QCLs and Diode Lasers
Feng Xie, Corning Incorporated (United States)