

PROCEEDINGS OF SPIE

***Optical Architectures for Displays
and Sensing in Augmented, Virtual,
and Mixed Reality (AR, VR, MR) II***

**Bernard C. Kress
Christophe Peroz**
Editors

**28–31 March 2021
Online Only, United States**

Sponsored and Published by
SPIE

Volume 11765

Proceedings of SPIE 0277-786X, V. 11765

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Optical Architectures for Displays and Sensing in Augmented, Virtual, and Mixed Reality (AR, VR, MR) II,
edited by Bernard C. Kress, Christophe Peroz, Proc. of SPIE Vol. 11765, 1176501
© 2021 SPIE · CCC code: 0277-786X/21/\$21 · doi: 10.1117/12.2597746

Proc. of SPIE Vol. 11765 1176501-1

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Optical Architectures for Displays and Sensing in Augmented, Virtual, and Mixed Reality (AR, VR, MR) II*, edited by Bernard C. Kress, Christophe Peroz, Proc. of SPIE 11765, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510640672

ISBN: 9781510640689 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2021 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIE. DIGITAL LIBRARY

SPIDigitalLibrary.org

Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

DISPLAY ENGINE ARCHITECTURES FOR AR, VR, AND SMART GLASSES

- 11765 02 **Laser beam scanning in XR: benefits and challenges** [11765-1]
- 11765 03 **Laser beam scanning based AR-display applying resonant 2D MEMS mirrors** [11765-2]
- 11765 04 **Ultra-compact micro-electro-mechanical laser beam scanner for augmented reality applications** [11765-3]
- 11765 05 **Pixel size requirements for AR/MR** [11765-4]

OPTICAL COMBINER ARCHITECTURES FOR SMART GLASSES

- 11765 07 **A scanning waveguide AR display with 100° FOV** [11765-6]
- 11765 08 **Laser beam scanner and combiner architectures** [11765-7]
- 11765 09 **Metagrating-based augmented reality near-eye display** [11765-8]
- 11765 0A **Edge wave enabled diffractive optical elements for Augmented Reality glasses** [11765-9]
- 11765 0B **A DOE-based waveguide architecture of wide field of view display for Augmented Reality eyewear** [11765-10]

NOVEL MATERIALS FOR AR/MR OPTICS

- 11765 0H **Towards AR waveguides with refractive index 2.0 utilizing nanoimprint lithography** [11765-17]
- 11765 0I **PixClear TiO₂ titania nanocomposites for high refractive index films** [11765-18]
- 11765 0J **Expanding the property profile of Bayfol HX films towards NIR recording and ultra-high index modulation** [11765-19]

USER EXPERIENCE WITH AR / SMART GLASSES

- 11765 0M **Gigapixel 1440-perspective display by sub-megapixel DMD** [11765-22]

11765 ON **Near-eye display optic deficiencies and ways to overcome them** [11765-23]

NOVEL DISPLAY ARCHITECTURES IMPROVING VISUAL COMFORT

11765 OP **Time-multiplexed integral imaging based light field displays** [11765-26]

11765 OQ **Enhanced 3D perception using Laser based scanning display** [11765-27]

11765 OR **High-quality holographic displays using double SLMs and camera-in-the-loop optimization** [11765-28]

11765 OS **Light-field brings Augmented Reality to the personal space** [11765-29]

11765 OT **Binocular function measures as predictors of user performance in stereoscopic augmented reality** [11765-45]

SENSING TECHNOLOGIES IMPROVING THE AR EXPERIENCE

11765 OU **Measuring world-locking accuracy in AR/MR head-mounted displays** [11765-30]

11765 OV **Miniaturization of NIR/SWIR image sensors enabled by thin-film photodiode monolithic integration** [11765-31]

POSTER SESSION

11765 OW **Reducing motion to photon latency in multi-focal augmented reality near-eye display** [11765-33]

11765 OX **A novel method for generating structured illumination of three-dimensional shape measurement using phase modulation** [11765-34]

11765 OY **Quality control of AR/VR near-eye displays: goniometric vs. advanced 2D imaging light measurements** [11765-36]

11765 10 **Pulsed illumination driver with intensity control and RGB mixing capabilities for high-resolution near to eye display** [11765-38]

11765 13 **Prescription customized augmented reality display** [11765-41]

11765 14 **Toward low-computation light field displays by foveated rendering** [11765-42]

11765 16 **Crosstalk reduction method in a glasses-free AR 3D HUD** [11765-44]